

**ASTM Test Method D 5800**  
**Evaporation Loss Of Lubricating Oils**  
**By The Noack Method**

**Version  
Procedure<sup>A</sup>  
Conducted For**

	<b>V = Valid</b>
	<b>I = Invalid</b>

	<b>NR = Non-Reference Test Oil</b>
	<b>RO = Reference Oil Result</b>

<b>Test Number</b>	
<b>Instrument ID:</b>	<b>Test Run:</b>

<b>Date Completed:</b>	<b>Time Completed:</b>
<b>Oil Code</b>	
<b>Formulation/Stand Code:</b>	
<b>Alternate Codes:</b>	

**In my opinion this test                          has been conducted in a valid manner in accordance with the  
D5800 ASTM Test Method and the appropriate amendments through the information letter system.  
The remarks included in this report describe the anomalies associated with this test.**

A = Woods Metal  
B = Non-Woods Metal  
C = Selby-Noack

**Submitted By:** \_\_\_\_\_ **Testing Laboratory**

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**Typed Name**

\_\_\_\_\_  
**Title**

**Test Report Cover**

**ASTM Test Method D 5800**  
**Evaporation Loss Of Lubricating Oils**  
**By The Noack Method**  
**Form 2**

**Oil Code:**

**Lab Sample Code:**

**Testing Lab:**

**Date Completed:**

**TMC Reference Oil ID:**

**Time Completed:**

**Instrument ID:**

**Test Run:**

**Date of Last TMC Calibration:**

**TMC Calibration Expiration Date:**

**Test Method-Version**

**Procedure <sup>A</sup>**

Equipment	
Manufacturer	
Model	
Firmware Version	
Operational Parameters	
Test Length, minutes: seconds	
Test Temperature, °C	
Differential Pressure, mm H2O	

Daily Quality Control Sample	
Daily QC Sample ID/Batch	
QC Calibration Date	
QC Initial Sample Weight, g	
QC Final Sample Weight, g	
QC Sample Evaporation Loss, mass	
Nominal Evaporation Loss Range, mass %	
Minimum	Maximum

Test Oil Results	
Initial Sample Weight, g	
Final Sample Weight, g	
Sample Evaporation Loss, mass %	

Optional Translation Between Procedures A and B	
Translation to Procedure	
Translation Factor	
Translated Sample Evaporation Loss, mass %	

A

**A = Woods Metal**

**B = Non-Woods Metal**

**C = Selby-Noack**

**Summary of Results**

**ASTM Test Method D 5800  
Evaporation Loss Of Lubricating Oils  
By The Noack Method  
Form 3**

**Oil Code:**  
**Lab Sample Code:**

<b>Testing Lab:</b>	<b>TMC Reference Oil ID:</b>
<b>Date Completed:</b>	<b>Time Completed:</b>

<b>Instrument ID:</b>	
<b>Test Run:</b>	
<b>Date of Last TMC Calibration:</b>	<b>TMC Calibration Expiration Date:</b>

## **Out-Of-Limit Data And Time, Test Modifications And Comments**

### Comments

**ASTM Test Method D 5800  
Evaporation Loss Of Lubricating Oils  
By The Noack Method  
Form 3A**

**Oil Code:**  
**Lab Sample Code:**

<b>Testing Lab:</b>	<b>TMC Reference Oil ID:</b>
<b>Date Completed:</b>	<b>Time Completed:</b>

<b>Instrument ID:</b>	
<b>Test Run:</b>	
<b>Date of Last TMC Calibration:</b>	<b>TMC Calibration Expiration Date:</b>

## **Out-Of-Limit Data And Time, Test Modifications And Comments**

## Comments

**ASTM Test Method D 5800  
Evaporation Loss Of Lubricating Oils  
By The Noack Method  
Form 3B**

### Comments