

Report Forms

Test Method D 874 Sulfated Ash from Lubricating Oils and Additives

Version

Conducted For

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number	
Test Method-Version:	Test Run ID:
Date Completed:	Estimated Time Completed:
Oil Code:	
Alternate Codes:	

In my opinion this test been conducted in a valid manner in accordance with the Test Method D874 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

Submitted By: _____ **Testing Laboratory**

Signature

Typed Name

Title

Test Report Cover

Test Method D 874
Sulfated Ash from Lubricating Oils and Additives

Form 2

Result Summary Sheet

Oil Code:
Lab Sample Code:

Testing Lab:	TMC Reference Oil ID:
Date Completed:	Estimated Time Completed:

Test Run ID:	
Date of Last TMC Calibration:	TMC Calibration Expiration Date:

Quality Control Sample		Operational	
QC Sample ID		Test Method-Version	
QC Sample Sulfated Ash, mass%		Initial Furnace Heating Time, (After First Sulfation), min.	
Acceptance Range Min., mass%			
Acceptance Range Max., mass%		Operator ID (coded)	

Test Sample			
Initial Test Sample Weights		Test Sample Sulfated Ash Weights	
Crucible Plus Sample Weight, g		Second-to-Last Gross Weighing, g	
Crucible Tare Weight, g		Final Gross Weighing, g	
Net Sample Weight, g		Final Net Sulfated Ash Weight, g	

Test Sample % Sulfated Ash
mass%

Result Summary Sheet

Test Method D 874

Sulfated Ash from Lubricating Oils and Additives

Form 3

Comments

Oil Code:
Lab Sample Code:

Testing Lab:	TMC Reference Oil ID:
Date Completed:	Estimated Time Completed:

Test Run ID:	
Date of Last TMC Calibration:	TMC Calibration Expiration Date:

Out-Of-Limit Data and Time, Test Modifications And Comments

Comments