

**ASTM D 6795 – Measuring the Effect on Filterability of Engine Oils After  
Treatment with Water and Dry Ice and a Short (30 min) Heating Time  
(Engine Oil Filterability Test)  
Final Report Cover Sheet**

Version \_\_\_\_\_  
Conducted For \_\_\_\_\_

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number: _____			
Date Completed: _____		Time Completed: _____	
Oil Code: _____			
Formulation/Stand Code: _____			
Alternate Codes: _____	_____	_____	_____

<p>In my opinion this test _____ has been conducted in a valid manner in accordance with the Test Method D 6795 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.</p>
---

Submitted By: \_\_\_\_\_

Testing Laboratory

\_\_\_\_\_

Signature

\_\_\_\_\_

Typed Name

\_\_\_\_\_

Title

**Engine Oil Filterability Test  
Form 2**

Lab:	TMC Oil Code (Reference Oil Test Only):
Test Number:	Laboratory Oil Code:
End of Test Date:	End of Test Time:
Oil Code:	
Filter Paper Pore Size (µm) :	
Date of Last TMC Calibration:	TMC Calibration Expiration Date:

Test Oil Results					
Test Run Number	Date Completed	Filter Paper Part/Batch Number	20 - 25 ml Change in Flowrate (%)		
			Run 1	Run 2	Average

Reference Oil Test Results (Fill Out for Non-reference Oil Tests Only*)							
Test Run Number	Date Completed	Filter Paper	20 - 25 ml Change in Flowrate (%)			TMC Oil Code	TESTKEY
			Run 1	Run 2	Average		

**\*Optional**

Summary of Data





