TEST METHOD D6335
DETERMINATION OF HIGH TEMPERATURE DEPOSITS BY THERMO-OXIDATION ENGINE OIL SIMULATION TEST

VERSION ***TEOST VERSION 20020311***

CONDUCTED FOR

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

C	V = VALID
	I = INVALID

CC	NR = Non Reference Oil Test
	RO = Reference Oil Test

Test Number	
Instrument ID: *CCCCCCCCCCCCCCCCCCC*	Test Run Number: *CCCCCCCCCC*

Date Completed: *YYYYMMDD*		EOT Time: *HH:MM*	
Oil Code: *CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*			
Alternate Codes:	*CCCCCCCCCCCCCCC*	*CCCCCCCCCCCCCCC*	*CCCCCCCCCCCCCCC*

In my opinion this test *CCCCCCCC* been conducted in a manner in accordance with the Test Method D6335 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

SUBMITTED BY: *CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*
Testing Laboratory

Signature Image
Signature

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
Typed Name

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
Title

TEST REPORT COVER

TEST METHOD D6335
DETERMINATION OF HIGH TEMPERATURE DEPOSITS BY THERMO-OXIDATION ENGINE OIL SIMULATION TEST
FORM 2
TEST RESULTS SUMMARY SHEET

Oil Code:	*CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*
Lab Sample Code:	*CCCCCCCCCCCCCCCCCCCC*

Testing Lab:	*CC*	TMC Reference Oil ID:	*CCCCCC*
Date Completed:	*YYYYMMDD*	Time Completed:	*HH:MM*

Instrument ID:	*CCCCCCCCCCCCCCCCCCCC*		
Test Run No.:	*CCCCCCCCCC*		
Date of Last TMC Calibration:	*YYYYMMDD*	TMC Calibration Expiration Date:	*YYYYMMDD*

Instrument Conditions		**Instrument Checks** [A]	
Thermocouple Depth, cm:	*S123.12*	Temperature Program:	*C*
Sample Flow Rate, g/min:	*S123.12*	PID:	*C*
Amount Ferric Napthenate, µl:	*S123*	Strip Chart:	*C*
Reactor Chamber Temperature, ˚C:	*S123*	Stirrer On:	*C*
Test Length, min:	*S1234*	Thermocouple Connections:	*C*
Rod Serial Number:	*CCCCC*	Air Flow, 3.5 ml/min:	*C*
		N_2O Flow, 3.5 ml/min:	*C*

Test Results			
Final Rod Wt, g:	*S12.1234*	Preclean Filter Wt, g:	*S12.1234*
Initial Rod Wt, g:	*S12.1234*	1st Dry Filter Wt, g:	*S12.1234*
Rod Deposits, mg:	*S12.1*	2nd Dry Filter Wt, g:	*S12.1234*
		3rd Dry Filter Wt, g:	*S12.1234*
		Final Filter Wt, g:	*S12.1234*
		Initial (Post-Clean) Filter Wt, g:	*S12.1234*
		Filter Deposits, mg:	*S12.1*

Total Deposits, mg:	***S12.1***

[A] Y = checked to be correct, N = not checked

TEST METHOD D6335
DETERMINATION OF HIGH TEMPERATURE DEPOSITS BY THERMO-OXIDATION ENGINE OIL SIMULATION TEST
FORM 3
COMMENTS

Oil Code:	*CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*
Lab Sample Code:	*CCCCCCCCCCCCCCCCCCCC*

Testing Lab:	*CC*	TMC Reference Oil ID:	*CCCCCC*
Date Completed:	*YYYYMMDD*	Time Completed:	*HH:MM*

Instrument ID:	*CCCCCCCCCCCCCCCCCCCC*		
Test Run No.:	*CCCCCCCCCC*		
Date of Last TMC Calibration:	*YYYYMMDD*	TMC Calibration Expiration Date:	*YYYYMMDD*

OUT-OF-LIMIT DATA AND TIME, TEST MODIFICATIONS AND COMMENTS

Number of Comment Lines	*S1*	

*CCCCCCCCCCCCCCCCCCCC