



A Program of ASTM International

# **Test Monitoring Center**

<http://astmtmc.cmu.edu>

# **ASTM D02.B2 Semi-Annual Report Heavy Duty Reference Oil Testing**

**Oct 2012**

# Heavy Duty Testing

## Executive Summary

### ► Reference Oils

- 820-3 replacement
  - New oil designated 822
- 1005-3 was reblended as 1005-4
- 821-2 was reblended as 821-3

# Heavy Duty Testing

## Executive Summary

- ▶ T-12
  - Correction factors implemented for all parameters due to STWN hardware
- ▶ ISB
  - Calibration period reduced from 18 to 12 months
- ▶ T-8
  - Partial rebuilds allowed without reference
- ▶ T-11
  - Full rebuilds allowed without reference

# Calibrated Labs and Stands\*

Test	Labs	Stands
1K	3	4
1N	4	7
1M-PC	2	2
1P	3	3
1R	1	1
C13	2	4
ISB	3	4
ISM	5	6
EOAT	1	1
RFWT	2	2
T-8/E	2	4
T-10A	1	1
T-11	4	5
T-12	4	8
T-12A	4	8

\*As of 9/30/2012

Test Monitoring Center  
<http://astmtmc.cmu.edu>



A Program of ASTM International

# Test Activity Levels

» April 1, 2012 -  
September 30, 2012

# CAT - SCOTE Tests

Test Status	Validity Code	1K	1N	1M-PC	1P	1R
Acceptable Calibration Test	AC	2	3	2	4	1
Failed Calibration Test	OC	0	0	0	0	2
Operationally Invalid	LC	0	0	0	0	0
Aborted	XC	0	0	0	0	0
Total		2	3	2	4	3

# CAT - C13 Test

Test Status	Validity Code	C13
Acceptable Calibration Test	AC	3
Failed Calibration Test	OC	1
Operationally Invalid	LC	0
Aborted	XC	0
<b>Total</b>		<b>4</b>

# Cummins Tests

Test Status	Validity Code	ISB	ISM
Acceptable Calibration Test	AC	2	2
Failed Calibration Test	OC	0	0
Operationally Invalid	LC	0	0
Aborted	XC	0	0
<b>Total</b>		<b>2</b>	<b>2</b>

# Light Duty Diesel Tests

Test Status	Validity Code	EOAT	RFWT
Acceptable Calibration Test	AC	2	2
Failed Calibration Test	OC	0	0
Operationally Invalid	LC	0	0
Aborted	XC	0	0
Total		2	2

# Mack Tests

Test Status	Validity Code	T-8/E	T-10A	T-11	T-12	T-12A
Acceptable Calibration Test	AC	4/4	2	6	4	5
Failed Calibration Test	OC	0/0	0	0	1	0
Operationally Invalid	LC	0	0	2	1	1
Aborted	XC	2/2	0	0	3	3
Total		6	2	8	9	9

# Failed Tests

Test Status	Test	Number of Tests
Mild on BTOC	1R	1
Severe on WD, TGC, TLC and ETOC	1R	1
Severe OC, Mild R2TC	C13	1
Severe PB	T12	1
<b>Total</b>		<b>4</b>

# Lost Tests\*

\*Invalid and aborted tests

Test	Status	Cause
T-8/E	Aborted	High Oil Consumption
T-8/E	Aborted	Loss of oil charge
T-11	Invalid	Engine Failure: Water pump failure and loss of coolant
T-11	Invalid	Crankcase pressure out of spec
T-12/A	Invalid	Tight main bearing clearances and head gasket damage
T-12/A	Aborted	Cracked injector nozzle
T-12/A	Aborted	Engine valve failure
T-12/A	Aborted	Combustion leak into coolant

# Test Severity

» April 1, 2012 -  
September 30, 2012

# CAT Test Severity

## ▶ 1K

- WDK, TLHC, ETOC are in control.
- TGF and BSOC
  - Within Chart Limits
  - Long-term mild trend continuing
  - Charts shown in [Appendix 1.a.](#)

## ▶ 1N

- TGF, WDN, TLHC, and BSOC trending mild
- TGF, WDN, TLHC, and BSOC in alarm
  - Charts shown in [Appendix 1.b.](#)

# CAT Test Severity

- ▶ 1M-PC
  - Both parameters (TGF & WTD) are in control.
    - Charts shown in [Appendix 1.c.](#)
  
- ▶ 1P
  - TGC, WD, TLC and OC are in control.
  - ETOC in alarm, severe direction.
  - Continuation of long-term trend.
  - Charts shown in [Appendix 1.d.](#)

# CAT Test Severity

## ▶ 1R

- BTOC is in control but trending mild.
- WD in severity alarm, severe direction
- WD, TLC, TGC and ETOC in precision alarm

• Charts shown in [Appendix 1.e.](#)

## ▶ C13

- TGC and TLC are in control.
- R2TC in alarm, mild direction.
- OC is in precision alarm.

• Charts shown in [Appendix 1.f.](#)

# Cummins Test Severity

## ▶ ISB

- Both ACSW and ATWL are in control with slight mild trends.
  - Charts shown in [Appendix 1.g.](#)

## ▶ ISM

- All parameters in control.
  - CWL trending mild.
  - FPD mild trend may be ending.
  - ASR possibly trending severe.

- Charts shown in [Appendix 1.h.](#)

# Light Duty Diesel Test Severity

- ▶ EOAT
  - AEOA in control.
    - Charts shown in Appendix 1.i.
  
- ▶ RFWT
  - AFW in control.
    - Charts shown in Appendix 1.j.

# Mack Test Severity

- ▶ T-8/E
  - All parameters are in control.
    - Charts shown in Appendix 1.k.
  
- ▶ T-10A
  - MRV in severity alarm (severe) and still trending severe.
    - Charts shown in Appendix 1.l.

# Mack Test Severity

- ▶ T-11
  - All parameters within chart limits.
    - SOOT and MRV trending mild.
    - SOOT5 mild trend ending.
    - Charts shown in [Appendix 1.m.](#)
  
- ▶ T-12
  - All parameters within chart limits.
    - CLW and OC showing mild trend.
    - TRWL showing long-term severe trend.
    - Charts shown in [Appendix 1.n.](#)

# Mack Test Severity

- ▶ T-12A
  - MRV is in alarm in the severe direction.
    - Charts shown in [Appendix 1.o.](#)


# Test Precision

» April 1, 2012 -  
September 30, 2012


# Test Precision Estimates

- ▶ Presented for years where sufficient data exist
- ▶ Precision estimates are shown with reference oil std. deviations, or where applicable, with Severity Adjustment std. deviations
- ▶ For several test types, precision estimates are not available due to low activity levels


# 1K Precision Estimates




# 1K Precision Estimates




# 1N Precision Estimates




# 1N Precision Estimates




# 1P Precision Estimates




# 1P Precision Estimates




# ISB Precision Estimates




# ISM Precision Estimates




# ISM Precision Estimates



# T-8/E Precision Estimates




# T-11 Precision Estimates




# T-11 Precision Estimates

MRV




# T-12 Precision Estimates




# T-12 Precision Estimates

TRWL



# T-12A Precision Estimates



# Information Letters

» April 1, 2012 -  
September 30, 2012

# Information Letters\*

Test	Date	IL	Topic
EOAT	5/17/2012	12-1	Test Specified Fuel Designation Change
T8 T11	5/18/2012	12-1 12-1	Test Specified Fuel Designation Change and Rebuild Allowances
1N 1P 1R	5/24/2012	12-1 12-1 12-1	Test Specified Fuel Designation Change
RFWT ISM	6/11/2012	12-1 12-1	Test Specified Fuel Designation Change
T12	6/18/2012	12-1	Updated STWN Hardware Correction Factors
ISB	8/30/2012	12-2	Calibration Period Change
T10/T10A	9/20/2012	12-1	Test Specified Fuel Designation Change

\*Available from TMC Website

# Reference Oil Inventory

» Actions, Re-blends, Inventories  
and Estimated Life

# Reference Oil Re-blends

## ➤ T12 Oil Supply

- Need to consider acquiring more oil if T12 is not replaced by T13

# Reference Oil Inventory Estimated Life

Oil	Tests	Original Blend Amount	Quantity Shipped in last 6 months	TMC Inventory	Lab Inventory	Estimated Life
809-1	1K, 1N	9134	30	2540	130	5+ years
811-2	1K, 1N	1732	10	1315	80	5+ years
820-3	1R, T-10A, T-11	2750	196	0	30	~ 1 year
822	1R, T-10A, T-11	5000	252	4748	140	5+ years
821-2	T-12	450	50	38	75	~ 1 year
821-3	T-12	1500	500	1000	225	1.8 years
830-2	ISM	3786	100	937	300	5+ years
831-1	C13, ISB	1300	160	95	200	~ .7 years
831-2	C13, ISB	880	0	880	0	5+ years
873-2	1M-PC	1650	30	218	40	5+ years
1005-3	1P, 1R, EOAT, RFWT, T-8/E	2000	520	105	342	~ 1 year
1005-4	1P, 1R, EOAT, RFWT, T-8/E	2000	0	2000	0	5+ years

# LTMS Deviations

» April 1, 2012 -  
September 30, 2012

# LTMS Deviations

- No LTMS Deviations in Current Period

Historical Count of HD LTMS Deviations

Test	LTMS Deviations
1M-PC	2
1N	2
T-8/E	2
T-10A	1
T-12	1

# Quality Index Deviations

» April 1, 2012 -  
September 30, 2012

# Quality Index Deviations

- One C13 Quality Index Deviation this period
  - Fuel Flow low
    - Caused by fault code and subsequent engine derate
    - Adequate control restored once fault was cleared

Historical Count of HD Quality Index Deviations

Test	Qi Deviations
1P	11
1R	1
ISM	2
C13	1
T-10A	1
T-11	3
T-12	4

# TMC Laboratory Visits

» April 1, 2012 -  
September 30, 2012

# TMC Lab Visits

Test	Number of Labs Visited
ISB	1
ISM	1
T11	1
T12	1

# TMC Lab Visits

- ISB and ISM lab visits this period
  - Stands using Fleetguard Compleat EG versus specified Fleetguard Compleat PG
- T11 and T12 visits this period
  - Full instrumentation calibration before reference test not completed.

# Test Area Timelines

» April 1, 2012 -  
September 30, 2012

# Test Area Timeline Additions\*

Test	Date	Topic	IL
T-8/8E	20120502	PARTIAL REBUILD ALLOWANCE	12-1
T-11	20120502	NEWLY REBUILT ENGINE NO LONGER REQUIRES REFERENCE TEST	12-1
T-12	20120605	CORRECTION FACTORS UPDATED FOR ALL PARAMETERS FOR STWN HARDWARE	12-1

\*As of 3/31/2012

*Test Monitoring Center*  
<http://astmtmc.cmu.edu>



A Program of ASTM International

# Additional Information

»

# Additional Information

- ▶ Available on TMC Website:
  - Oil Assignment Request and Test File Upload
  - Live Reference Test Data Bases
  - Surveillance Panel Meeting Minutes
  - Test Area Alarm Logs
  - Complete Test Area Timelines
  - LTMS Manual
- ▶ [www.astmtmc.cmu.edu](http://www.astmtmc.cmu.edu)



**A Program of ASTM International**



A Program of ASTM International

# **Test Monitoring Center**

<http://astmtmc.cmu.edu>

# **Appendix 1**

## **Heavy Duty Reference Oil Testing Control Charts**

**October 2012**


# Appendix 1.a

## 1K Control Charts


» Severity, Precision, and CuSum

## Top Groove Fill


## LTMS Severity Analysis



## LTMS Precision Analysis




## CUSUM Severity Analysis




## Weighted Total Demerits


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis




# CATERPILLAR 1K INDUSTRY OPERATIONALLY VALID DATA


## FINAL TRANSFORMED TOP LAND HEAVY CARBON

 A Program of ASTM International


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International

# CATERPILLAR 1K INDUSTRY OPERATIONALLY VALID DATA




BSOC


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1K INDUSTRY OPERATIONALLY VALID DATA




EOTOC


LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International


# Appendix 1.b

## 1N Control Charts


» Severity, Precision, and CuSum

## Top Groove Fill


## LTMS Severity Analysis



## LTMS Precision Analysis




## CUSUM Severity Analysis




## Weighted Total Demerits


## LTMS Severity Analysis



## LTMS Precision Analysis




## CUSUM Severity Analysis




## FINAL TRANS. TOP LAND HEAVY CARBON


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis




# CATERPILLAR 1N INDUSTRY OPERATIONALLY VALID DATA




BSOC


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International


# Appendix 1.c

## 1M-PC Control Charts

» Severity, Precision, and CuSum

## FINAL TOP GROOVE FILLING


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis




Test Monitoring Center

<http://astmtmc.cmu.edu>


A Program of ASTM International

## Weighted Total Demerits


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



[Return](#)

**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International

# Appendix 1.d

## 1P Control Charts

» Severity, Precision, and CuSum


# CATERPILLAR 1P INDUSTRY OPERATIONALLY VALID DATA



Standard Deviation Units


## TOP GROOVE CARBON

### LTMS Severity Analysis




Standard Deviation Units

### LTMS Precision Analysis



Standard Deviation Units

### CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1P INDUSTRY OPERATIONALLY VALID DATA




## TOP LAND CARBON


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1P INDUSTRY OPERATIONALLY VALID DATA




## WEIGHTED TOTAL DEMERITS


LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1P INDUSTRY OPERATIONALLY VALID DATA





## OIL CONSUMPTION

### LTMS Severity Analysis



Severe



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1P INDUSTRY OPERATIONALLY VALID DATA





EOTOC

## LTMS Severity Analysis



Severe



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

# Appendix 1.e

## 1R Control Charts


» Severity, Precision, and CuSum

# CATERPILLAR 1R INDUSTRY OPERATIONALLY VALID DATA




## FINAL WEIGHTED TOTAL DEMERITS (DEMERITS)


LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1R INDUSTRY OPERATIONALLY VALID DATA




## FINAL TOP GROOVE CARBON (DEMERITS)


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1R INDUSTRY OPERATIONALLY VALID DATA




## FINAL TOP LAND CARBON (DEMERITS)


LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



Test Monitoring Center

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1R INDUSTRY OPERATIONALLY VALID DATA




## FINAL BOTOC


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# CATERPILLAR 1R INDUSTRY OPERATIONALLY VALID DATA




## FINAL EOTOC (g/h)


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

# Appendix 1.f

## C13 Control Charts


» Severity and CuSum

# C13 INDUSTRY OPERATIONALLY VALID DATA




## TOP LAND CARBON AVG. — FINAL RESULT


LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International


02NOV12:13:38

# C13 INDUSTRY OPERATIONALLY VALID DATA




## TOP GROOVE CARBON AVG — FINAL RESULT

LTMS Severity Analysis




Mild  
Severe

LTMS Precision Analysis



CUSUM Severity Analysis



02NOV12:13:38

**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# C13 INDUSTRY OPERATIONALLY VALID DATA


## 2ND RING TOP CARBON AVG. — FINAL RESULT




LTMS Severity Analysis



LTMS Precision Analysis



CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




# C13 INDUSTRY OPERATIONALLY VALID DATA




## OIL CONS. DELTA — FINAL RESULT


### LTMS Severity Analysis



### LTMS Precision Analysis



### CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International


# Appendix 1.g

# ISB Control Charts


» Severity and CuSum

## AVERAGE CAMSHAFT WEAR

## LTMS Severity Analysis



## CUSUM Severity Analysis



COUNT IN COMPLETION DATE ORDER


19NOV12:10:16

Test Monitoring Center


<http://astmtmc.cmu.edu>

## AVERAGE TAPPET WEIGHT LOSS

## LTMS Severity Analysis



## CUSUM Severity Analysis


[Return](#)

# Appendix 1.h


## ISM Control Charts

» Severity and CuSum


**ISM INDUSTRY OPERATIONALLY VALID DATA**  
**CROSSHEAD WEIGHT LOSS ADJUSTED TO 3.9 % SOOT**




## LTMS Severity Analysis



## LTMS Precision Analysis




## CUSUM Severity Analysis




## AVERAGE SLUDGE RATING


## LTMS Severity Analysis



## LTMS Precision Analysis




## CUSUM Severity Analysis




Test Monitoring Center

<http://astmtmc.cmu.edu>


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



02NOV12:14:58

[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>

# Appendix 1.i

## EOAT Control Charts


» Severity, Precision, and CuSum

# EOAT INDUSTRY OPERATIONALLY VALID DATA



## ENGINE OIL AERATION

### LTMS Severity Analysis





Mild  
Severe

EWMA  
OFF SCALE

☆

EWMA Action Limit  
EWMA Warning Limit  
EWMA Warning Limit  
EWMA Action Limit



12NOV12.09:15

[Return](#)

**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International


# Appendix 1.j

# RFWT Control Charts


» Severity, Precision, and CuSum

## Average Follower Wear


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



12NOV12.09:17

[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>

# Appendix 1.k

## T-8/T-8E Control Charts


» Severity, Precision, and CuSum

# T-8/T-8E INDUSTRY OPERATIONALLY VALID DATA


FINAL REFERENCE VISCOSITY AT 3.8% TGA SOOT LEVEL




## LTMIS Severity Analysis



## LTMIS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# T-8/T-8E INDUSTRY OPERATIONALLY VALID DATA

FINAL RELATIVE VISCOSITY (50% LOSS)




Standard Deviation Units




Severe

Standard Deviation Units



Standard Deviation Units



Test Monitoring Center


<http://astmtmc.cmu.edu>



A Program of ASTM International

# T-8/T-8E INDUSTRY OPERATIONALLY VALID DATA

FINAL RELATIVE VISCOSITY (100% LOSS)



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

□

\*

# Appendix 1.I

## T-10A Control Charts


» Severity, Precision, and CuSum

## T10A INDUSTRY OPERATIONALLY VALID DATA


MRV VISCOSITY @ 75H




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>

# Appendix 1.m

## T-11 Control Charts


» Severity, Precision, and CuSum

# T-11 INDUSTRY OPERATIONALLY VALID DATA




SOOT AT 12 cSt


## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# T-11 INDUSTRY OPERATIONALLY VALID DATA


LTMSDATE < = 20121001  
SOOT @ 4 cSt - FINAL RESULT




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International


02NOV12:15:59

# T-11 INDUSTRY OPERATIONALLY VALID DATA


LTMSDATE < = 20121001  
SOOT @ 15 cSt — FINAL RESULT




Standard Deviation Units



Standard Deviation Units



Standard Deviation Units



02NOV12:15:59

Test Monitoring Center


<http://astmtmc.cmu.edu>





A Program of ASTM International

## MRV VISCOSITY

## LTMS Severity Analysis



Severe



02NOV12:15:25

[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>

# Appendix 1.n

## T-12 Control Charts


» Severity, Precision, and CuSum

# MACK T-12 INDUSTRY OPERATIONALLY VALID DATA


FINAL TRANS. RES. DELTA PB @ EOT




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



02NOV12:15:19

**Test Monitoring Center**

<http://astmtmc.cmu.edu>




A Program of ASTM International

# MACK T-12 INDUSTRY OPERATIONALLY VALID DATA

Avg. Cylinder Liner Wear (CLW)




Standard Deviation Units




Severe

Standard Deviation Units



Standard Deviation Units



Test Monitoring Center

<http://astmtmc.cmu.edu>




A Program of ASTM International

# MACK T-12 INDUSTRY OPERATIONALLY VALID DATA


Avg. Top Ring Weight Loss (TRWL)




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International


02NOV12:15:19

# MACK T-12 INDUSTRY OPERATIONALLY VALID DATA


FINAL TRANS. RES. OIL CONSUMPTION




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



**Test Monitoring Center**

<http://astmtmc.cmu.edu>



A Program of ASTM International


02NOV12:15:19

# MACK T-12 INDUSTRY OPERATIONALLY VALID DATA


FINAL TRANS. RES. DELTA PB 250-300H




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



02NOV12:15:19

[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

# Appendix 1.0

# T-12A Control Charts


» Severity, Precision, and CuSum

# MACK T-12A INDUSTRY OPERATIONALLY VALID DATA


FINAL ORIGINAL UNIT MRV VISCOSITY [NM, SOLID, FROZEN, <, >]




## LTMS Severity Analysis



## LTMS Precision Analysis



## CUSUM Severity Analysis



[Return](#)

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International