

M11 EGR Test Matrix Status

Presentation to
HDEOCP
August 16, 2001
David M Stehouwer

M-11 EGR Test Status

- OM11 EGR Task Force Meeting on August 9, 2001
- Task Force Recommends test to HDEOCP
- **OLTMS** Data accepted
- Existing calibrated stands to be rereferenced in 90 days
- OPost matrix stands have 6 month reference period
- Experienced labs defined as labs with 4 or more reference test completed
- Experienced labs are allowed one test reference on new stands based on reduced "k" values

M-11 EGR Test Status

- OE178 will be used for crosshead outlier screening criteria (intake/exhaust)
- Labs to standardize blowby handling
 - ✓ Decrease lab differences in sludge ratings
- OTighter limits on intake CO2 for stages A and B
 - ✓ Reduce crosshead variability
 - ✓Improve overall test precision

M-11 EGR Test Status

OProposed Limits

- √CWL 20 mg
- √TWL 175 mg (no ring gap correlation)
- **✓**OFDP 275 kPa @ 250 hrs
- **✓** ASR 8.0
- **✓BWL, IAS:** Report Value

M11 EGR Action Item

- Task force has recommended acceptance of M11 EGR Test
- **OTherefore:**
- OMotion: HDEOCP accepts the M11 EGR test for PC-9