SAE 10W-30 HTHS

ASTM HDEOCP MEETING IN SAN ANTONIO, TX SEPTEMBER 26, 2001 FRANK BONDAROWICZ INTERNATIONAL TRUCK AND ENGINE CORPORATION

SAE 10W-30 HTHS

- NEW ENGINES HAVE HIGHER POWER DENSITY
- 6.0L ENGINE WILL HAVE EQUAL HORSEPOWER AS CURRENT 7.3L ENGINE
- NEW ENGINES HAVE NARROWER BEARINGS AND HIGHER ENGINE SPEED
- 6.0L ENGINE WILL BE USED IN THE SAME APPLICATIONS AS THE CURRENT 7.3L PLUS NEW APPLICATIONS

SAE 10W-30 HTHS

- THE INDENDED USE OF 10W-30 OIL IS FOR LIGHT DUTY & HEAVY DUTY DIESEL ENGINES
- ACEA B2 AND HIGHER HAVE 3.5 CP HTHS
- ACEA E1 AND ABOVE HAVE 3.5 CP HTHS
- GLOBAL DHD-1 HAS 3.5 CP HTHS
- PC-9 (CI-4) WILL BE USED IN LIGHT DUTY & HEAVY DUTY DIESEL ENGINES
- THEREFORE, SAE 10W-30, PC-9 OIL NEEDS TO HAVE 3.5 HTHS