



Test Monitoring Center

Carnegie Mellon University
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>
412-365-1000

REPORT PACKET REVISION NOTICE: IIIGB-20081030

VERSION: 20081030

EFFECTIVE DATE: November 3, 2008

DATE: October 30, 2008

TO: Sequence III Surveillance Panel

FROM: Richard E. Grundza

The previous released version of the IIIGB data dictionary had the field TESTSPON2 missing from the data dictionary. Also, test hours for optional measurements at test hours 20, 40, 60 and 80 were hard coded on the report forms. The repeating field TST_HXXX has also been added to the data dictionary to remove the hard coding of these optional measurements. Since these Intermediate measurements are not required, the data type for these fields has been noted as A and NM, not measured has been added to the description to address reporting values where these measurements are not made. Some additional minor changes have been made to remove % symbol from the description of the phosphorus retention fields. Version 20081030 now shows these fields in the data dictionary and is available from the TMC Website. These changes are effective November 3, 2008.

REG/reg

c: <ftp://ftp.astmtmc.cmu.edu/doc/gas/sequenceiii/memos/iiigb-20081030.pdf>
DCC Information Letter Mailing List
CMB
PEL
FMF

Distribution: Electronic Mail