



## Test Monitoring Center

@ Carnegie Mellon University  
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>  
412-365-1000

MEMORANDUM: 13-023

DATE: May 1, 2013

TO: Chris Prengaman, Chairman, L-37 Surveillance Panel

FROM: Scott Parke

Signed by Scott Parke (Handwritten signature)

SUBJECT: L-37 Rater Calibration from October 1, 2012 through March 31, 2013

Please find attached a summary of L-37 rater calibration activity this period.

SDP/sdp/mem13-023.sdp.doc


cc: Frank Farber  
Jeff Clark  
L-37 Surveillance Panel  
<ftp://ftp.astmtmc.cmu.edu/docs/gear/l37rc/semiannualreports/l37rc-04-2013.pdf>

Distribution: email

# L-37 Rater Calibration

	Reporting Data	Calibrated on 3-31-13
Number of Labs	4	4
Number of Raters	9	9

BY-LAB RATER  
DISTRIBUTION



13:49:25 30APR2013


# L-37 Rater Calibration

## Test Distribution by Validity

		Totals	
		Last Period	This Period
Accepted for calibration	AC	11	11
Rejected (Mild)	OC	2	1
Rejected (Severe)	OC	2	2
Rejected (Multiple)	OC	0	0
Rejected (Precision)	OC	3	1
Workshop data	AG	12	27
Total		30	42


# L-37 Rater Calibration

## FAILED TESTS (by Parameter)



# L-37 Rater Calibration

## FAILED TESTS (by Alarm Type)




# L-37 Rater Calibration

		RIDG		RIPP		SPIT		WEAR	
Rater	N	Avg Yi	STD*						
B	4	-0.071	0.365	-0.014	0.635	0.213	0.246	0.205	0.625
E	4	-0.279	0.938	0.575	1.064	0.111	0.406	-0.067	0.914
H	4	0.399	1.128	-0.081	1.344	0.018	0.370	-0.065	0.682
I	4	-0.006	0.445	0.738	0.632	0.071	0.642	0.340	0.673
M	12	-0.214	0.732	0.245	0.936	-0.676	2.983	-0.244	0.782
N	8	-0.221	1.238	-0.209	0.712	0.002	0.313	0.268	0.647
R	12	0.334	0.922	0.381	1.175	-0.211	0.372	0.122	1.617
T	4	-0.006	0.978	-0.241	0.878	0.034	0.521	0.232	0.677
U	8	-0.099	0.993	0.047	1.377	0.014	0.542	-0.111	0.799
ALL	60	-0.016	0.888	0.169	1.009	-0.145	1.367	0.039	0.948

\* Due to the small number of ratings per pinion, the standard deviation of the Yi values is given in place of a pooled standard deviation.

# L-37 Rater Calibration




14:13:51 30APR2013

# L-37 Rater Calibration

## RIPPLING

Severity as Measured by Delta/s




14:13:51 30APR2013

# L-37 Rater Calibration


## SPITTING

Severity as Measured by Delta/s



14:13:51 30APR2013

# L-37 Rater Calibration




14:13:51 30APR2013

# L-37 Rater Calibration

## RIDGING

Precision as Measured by  $\bar{Y}_i$  STD




14:13:51 30APR2013

# L-37 Rater Calibration


## RIPPLING

Precision as Measured by  $\bar{Y}_i$  STD




14:13:51 30APR2013

# L-37 Rater Calibration



14:13:51 30APR2013

# L-37 Rater Calibration



14:13:51 30APR2013

# L-37 Rater Calibration

## SUMMARY OF SEVERITY & PRECISION

### Severity

After a several-periods long severe trend, RIDG is showing on-target results this period; RIPP, SPIT, and WEAR were generally on target. The March 2011 target update reduced target standard deviations for the most part and thus accounts for the increase in variability shown in testing seen since then.


### Precision

All parameters continue to show within-limits precision performance.

Industry control charts follow.


# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA



# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA


RIPPLING

LTMS Precision Analysis




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA



# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA



# L-37 Rater Calibration

## L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

