


PART ID = IIIG calibration

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	1.28	1.14	5.85	0.55	3.04	1.71	5.60	8.56	7.08						20.65	3.22
AVIS	1.66	1.43	6.11	0.77	3.51	1.09	6.77	8.80	7.79						22.36	3.50
CAPRONI	1.40	1.22	6.21	0.60	3.88	2.27	6.88	8.85	7.87						23.45	3.70
CASTILLO	1.29	1.28	5.92	0.71	2.90	1.81	6.16	8.80	7.48						21.39	3.28
GARCIA, O	1.45	1.24	6.23	0.76	3.46	2.60	6.29	8.67	7.48						23.22	3.60
GARCIA, P	1.61	1.71	5.35	0.67	2.80	1.51	4.76	9.40	7.08						20.73	3.12
GARRETT	1.30	1.35	6.43	0.55	3.17	1.80	6.29	8.78	7.54						22.14	3.45
HILLS	1.51	1.31	5.67	0.45	3.44	1.48	5.91	9.34	7.63						21.49	3.35
KOBRINETZ	1.31	1.28	5.60	0.68	2.91	1.74	6.70	8.92	7.81						21.33	3.24
LOPEZ	1.95	1.18	5.64	0.61	2.86	1.24	5.48	8.98	7.23						20.71	3.14
PANSZA	0.85	1.20	6.00	0.45	3.53	1.45	5.24	7.90	6.57						20.05	3.29
RAMIREZ	1.26	1.28	5.30	0.87	3.14	1.70	6.42	8.58	7.50						21.05	3.24
RODRIGUEZ	1.28	1.06	6.12	0.58	3.01	1.80	7.01	9.10	8.06						21.91	3.37
YANCHAR	1.11	1.23	5.92	0.51	2.91	1.46	5.75	8.74	7.25						20.39	3.18
MATRIX	1.41	1.22	6.13	0.62	2.81	1.58	6.41	8.72	7.57						21.34	3.27
MAXIMUM	1.95	1.71	6.43	0.87	3.88	2.60	7.01	9.40	8.06						23.45	3.70
MINIMUM	0.85	1.06	5.30	0.45	2.80	1.09	4.76	7.90	6.57						20.05	3.12
RANGE (MAX-MIN)	1.10	0.65	1.13	0.42	1.08	1.51	2.25	1.50	1.49						3.40	0.58
MEAN	1.38	1.28	5.90	0.63	3.16	1.68	6.11	8.81	7.46						21.48	3.33
STD	0.25	0.15	0.33	0.12	0.33	0.37	0.65	0.35	0.38						0.99	0.17



yi within 1 71.9%
 yi within 2 93.3%
 yi within 3 100.0%

PART ID = IIIG calibration

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.39	-0.91	-0.15	-0.63	-0.36	0.07	-0.79	-0.71	-1.01						-0.84	-0.66	-0.58	0.34
AVIS	1.12	1.04	0.64	1.21	1.07	-1.58	1.02	-0.03	0.86						0.89	1.03	0.66	0.82
CAPRONI	0.09	-0.37	0.95	-0.21	2.19	1.57	1.19	0.12	1.08						2.00	2.20	0.98	0.96
CASTILLO	-0.35	0.03	0.06	0.71	-0.78	0.34	0.08	-0.03	0.05						-0.09	-0.30	-0.02	0.38
GARCIA, O	0.29	-0.24	1.01	1.13	0.92	2.45	0.28	-0.40	0.05						1.77	1.61	0.81	0.90
GARCIA, P	0.92	2.93	-1.67	0.37	-1.09	-0.46	-2.09	1.68	-1.01						-0.76	-1.25	-0.22	1.54
GARRETT	-0.31	0.50	1.61	-0.63	0.04	0.31	0.28	-0.08	0.20						0.67	0.72	0.30	0.60
HILLS	0.52	0.23	-0.69	-1.47	0.86	-0.54	-0.31	1.51	0.44						0.01	0.11	0.06	0.81
KOBRINETZ	-0.27	0.03	-0.91	0.46	-0.75	0.15	0.91	0.31	0.93						-0.15	-0.52	0.02	0.62
LOPEZ	2.27	-0.64	-0.79	-0.13	-0.90	-1.18	-0.98	0.49	-0.61						-0.78	-1.14	-0.40	1.01
PANSZA	-2.10	-0.51	0.31	-1.47	1.13	-0.62	-1.35	-2.58	-2.37						-1.45	-0.24	-1.02	1.16
RAMIREZ	-0.47	0.03	-1.82	2.05	-0.05	0.05	0.48	-0.65	0.11						-0.43	-0.52	-0.11	0.93
RODRIGUEZ	-0.39	-1.45	0.67	-0.38	-0.45	0.31	1.39	0.83	1.58						0.43	0.23	0.25	0.88
YANCHAR	-1.06	-0.31	0.06	-0.96	-0.75	-0.59	-0.56	-0.20	-0.57						-1.11	-0.89	-0.63	0.37
MATRIX	0.13	-0.37	0.70	-0.04	-1.06	-0.27	0.46	-0.25	0.28						-0.15	-0.37	-0.09	0.48
Yi MAXIMUM	2.27	2.93	-1.82	2.05	2.19	2.45	-2.09	-2.58	-2.37						2.00	2.20	-1.02	1.54
Yi MINIMUM	0.09	0.03	0.06	-0.04	0.04	0.05	0.08	-0.03	0.05						0.01	0.11	0.02	0.34
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	1.38	1.28	5.90	0.63	3.16	1.68	6.11	8.81	7.46						21.48	3.33		
Ratings STD	0.25	0.15	0.33	0.12	0.33	0.37	0.65	0.35	0.38						0.99	0.17		

IIIG Rating Workshop

PART ID = IIIG 01 47883-1

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.90	2.44	8.80	0.83	8.24	3.80	8.38	9.73	9.06						34.07	5.93
AVIS	0.73	3.20	9.31	0.87	8.50	2.98	8.57	9.60	9.09						34.68	6.11
CAPRONI	0.75	3.18	9.10	0.86	7.56	3.20	8.87	9.66	9.27						33.92	5.82
CASTILLO	0.81	2.86	8.95	0.85	7.46	2.95	8.85	9.41	9.13						33.01	5.69
GARCIA, O	0.78	3.13	8.90	1.07	7.52	3.02	8.58	9.47	9.03						33.45	5.75
GARCIA, P	0.86	3.10	9.16	0.88	8.35	3.10	7.98	9.70	8.84						34.29	6.02
GARRETT	0.87	2.67	9.56	0.77	7.86	2.55	8.48	9.29	8.89						33.17	5.84
HILLS	0.84	3.19	9.51	1.02	7.70	2.70	8.68	9.61	9.15						34.11	5.91
KOBRINETZ	0.92	3.11	9.32	0.90	8.68	2.66	9.06	9.53	9.30						34.89	6.16
LOPEZ	1.04	2.25	9.28	0.93	8.30	2.34	8.70	9.28	8.99						33.13	5.90
PANSZA	0.90	3.94	9.25	1.14	8.16	4.62	7.41	9.65	8.53						36.54	6.22
RAMIREZ	0.75	3.58	9.06	1.18	8.58	3.18	8.74	9.64	9.19						35.52	6.20
RODRIGUEZ	0.84	3.42	9.44	0.83	8.00	2.60	8.89	9.63	9.26						34.39	5.98
YANCHAR	0.90	2.87	9.30	0.80	7.84	2.41	8.78	9.40	9.09						33.21	5.81
MATRIX	0.94	3.20	9.39	0.85	7.81	2.87	8.91	9.61	9.26						34.32	5.93
MAXIMUM	1.04	3.94	9.56	1.18	8.68	4.62	9.06	9.73	9.30						36.54	6.22
MINIMUM	0.73	2.25	8.80	0.77	7.46	2.34	7.41	9.28	8.53						33.01	5.69
RANGE (MAX-MIN)	0.31	1.69	0.76	0.41	1.22	2.28	1.65	0.45	0.76						3.53	0.53
MEAN	0.86	3.08	9.22	0.92	8.04	3.00	8.59	9.55	9.07						34.18	5.95
STD	0.08	0.42	0.22	0.13	0.40	0.58	0.42	0.14	0.20						0.97	0.16



yi within 1 71.1%
 yi within 2 95.6%
 yi within 3 100.0%

PART ID = IIIG 01 47883-1

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	0.54	-1.50	-1.89	-0.71	0.51	1.38	-0.51	1.27	-0.07						-0.12	-0.12	-0.11	1.03
AVIS	-1.50	0.29	0.39	-0.39	1.16	-0.03	-0.05	0.37	0.08						0.51	0.96	0.16	0.71
CAPRONI	-1.26	0.25	-0.55	-0.47	-1.20	0.35	0.66	0.78	0.97						-0.27	-0.81	-0.14	0.79
CASTILLO	-0.54	-0.51	-1.22	-0.55	-1.45	-0.08	0.62	-0.95	0.30						-1.20	-1.61	-0.65	0.72
GARCIA, O	-0.90	0.13	-1.44	1.21	-1.30	0.04	-0.03	-0.54	-0.22						-0.75	-1.22	-0.46	0.78
GARCIA, P	0.06	0.06	-0.28	-0.31	0.79	0.17	-1.46	1.06	-1.14						0.12	0.40	-0.05	0.74
GARRETT	0.18	-0.96	1.51	-1.19	-0.45	-0.77	-0.27	-1.79	-0.91						-1.04	-0.69	-0.58	0.86
HILLS	-0.18	0.27	1.29	0.81	-0.85	-0.51	0.21	0.44	0.37						-0.07	-0.25	0.14	0.60
KOBRINETZ	0.78	0.08	0.44	-0.15	1.62	-0.58	1.12	-0.12	1.11						0.73	1.27	0.57	0.69
LOPEZ	2.22	-1.95	0.26	0.09	0.66	-1.13	0.26	-1.86	-0.39						-1.08	-0.34	-0.30	1.20
PANSZA	0.48	2.04	0.13	1.77	0.31	2.79	-2.82	0.71	-2.67						2.43	1.68	0.62	1.88
RAMIREZ	-1.26	1.19	-0.72	2.09	1.37	0.31	0.35	0.64	0.60						1.38	1.51	0.68	0.99
RODRIGUEZ	-0.18	0.81	0.97	-0.71	-0.09	-0.69	0.71	0.57	0.94						0.22	0.20	0.25	0.61
YANCHAR	0.54	-0.49	0.35	-0.95	-0.50	-1.01	0.45	-1.02	0.10						-1.00	-0.84	-0.40	0.64
MATRIX	1.02	0.29	0.75	-0.55	-0.57	-0.22	0.76	0.44	0.94						0.15	-0.14	0.26	0.58
Yi MAXIMUM	2.22	2.04	-1.89	2.09	1.62	2.79	-2.82	-1.86	-2.67						2.43	1.68	0.68	1.88
Yi MINIMUM	0.06	0.06	0.13	0.09	-0.09	-0.03	-0.03	-0.12	-0.07						-0.07	-0.12	-0.05	0.58
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.86	3.08	9.22	0.92	8.04	3.00	8.59	9.55	9.07						34.18	5.95		
Ratings STD	0.08	0.42	0.22	0.13	0.40	0.58	0.42	0.14	0.20						0.97	0.16		

IIIG Rating Workshop

PART ID = IIIG 02 47883-6

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.68	5.36	9.54	1.32	8.71	4.30	8.09	9.63	8.86						38.77	6.61
AVIS	0.68	6.86	9.42	1.20	8.64	4.13	8.41	9.62	9.02						39.95	6.69
CAPRONI	0.75	5.53	8.76	1.14	7.77	3.65	8.29	9.69	8.99						36.59	6.11
CASTILLO	0.70	5.45	9.50	1.07	7.82	3.54	8.42	9.65	9.04						37.12	6.24
GARCIA, O	0.70	5.38	9.12	1.09	8.42	3.02	8.02	9.65	8.84						36.57	6.27
GARCIA, P	0.75	6.70	9.46	1.03	8.20	3.70	8.10	9.82	8.96						38.80	6.48
GARRETT	0.62	5.79	9.47	0.90	8.38	2.95	8.38	9.55	8.97						37.08	6.34
HILLS	0.68	6.05	9.49	1.12	8.55	2.50	8.18	9.70	8.94						37.33	6.41
KOBRINETZ	0.70	5.96	9.46	0.99	8.32	3.00	8.09	9.66	8.88						37.31	6.36
LOPEZ	0.75	5.16	9.50	0.86	8.34	2.82	8.54	9.79	9.17						36.60	6.28
PANSZA	0.64	5.38	9.67	1.45	8.08	4.42	6.63	9.32	7.98						37.62	6.39
RAMIREZ	0.75	6.71	9.04	1.32	8.23	3.97	8.34	9.46	8.90						38.92	6.47
RODRIGUEZ	0.69	6.25	9.62	1.08	8.27	2.78	8.88	9.68	9.28						37.97	6.43
YANCHAR	0.64	6.08	9.65	0.92	8.28	2.95	8.30	9.61	8.96						37.48	6.38
MATRIX	0.72	6.23	9.65	0.98	7.90	3.58	7.77	9.74	8.76						37.82	6.34
MAXIMUM	0.75	6.86	9.67	1.45	8.71	4.42	8.88	9.82	9.28						39.95	6.69
MINIMUM	0.62	5.16	8.76	0.86	7.77	2.50	6.63	9.32	7.98						36.57	6.11
RANGE (MAX-MIN)	0.13	1.70	0.91	0.59	0.94	1.92	2.25	0.50	1.31						3.38	0.58
MEAN	0.70	5.93	9.42	1.10	8.26	3.42	8.16	9.64	8.90						37.73	6.39
STD	0.04	0.55	0.26	0.17	0.28	0.61	0.50	0.12	0.29						0.99	0.14



yi within 1 70.4%
 yi within 2 96.3%
 yi within 3 98.5%

PART ID = IIIG 02 47883-6

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.39	-1.03	0.46	1.32	1.62	1.45	-0.15	-0.06	-0.14						1.05	1.53	0.51	0.92
AVIS	-0.39	1.70	-0.01	0.61	1.36	1.17	0.50	-0.14	0.40						2.24	2.13	0.87	0.91
CAPRONI	1.26	-0.72	-2.59	0.25	-1.77	0.38	0.26	0.42	0.31						-1.14	-1.95	-0.48	1.23
CASTILLO	0.08	-0.87	0.30	-0.17	-1.59	0.20	0.52	0.10	0.47						-0.62	-1.00	-0.23	0.69
GARCIA, O	0.08	-0.99	-1.19	-0.05	0.57	-0.66	-0.29	0.10	-0.23						-1.17	-0.81	-0.42	0.58
GARCIA, P	1.26	1.41	0.14	-0.41	-0.22	0.46	-0.13	1.46	0.21						1.08	0.65	0.54	0.68
GARRETT	-1.81	-0.25	0.18	-1.18	0.43	-0.78	0.44	-0.71	0.23						-0.66	-0.30	-0.40	0.71
HILLS	-0.39	0.23	0.26	0.13	1.04	-1.52	0.03	0.50	0.14						-0.40	0.19	0.02	0.64
KOBRINETZ	0.08	0.06	0.14	-0.64	0.21	-0.69	-0.15	0.18	-0.09						-0.42	-0.22	-0.14	0.32
LOPEZ	1.26	-1.39	0.30	-1.42	0.29	-0.99	0.76	1.22	0.92						-1.14	-0.73	-0.08	1.07
PANSZA	-1.34	-0.99	0.96	2.10	-0.65	1.65	-3.09	-2.55	-3.23						-0.11	-0.01	-0.66	1.82
RAMIREZ	1.26	1.43	-1.50	1.32	-0.11	0.91	0.36	-1.43	0.00						1.20	0.58	0.37	1.05
RODRIGUEZ	-0.16	0.59	0.77	-0.11	0.03	-1.06	1.45	0.34	1.32						0.25	0.32	0.34	0.70
YANCHAR	-1.34	0.28	0.89	-1.06	0.07	-0.78	0.28	-0.22	0.19						-0.25	-0.03	-0.18	0.65
MATRIX	0.55	0.55	0.89	-0.70	-1.30	0.26	-0.79	0.82	-0.51						0.09	-0.33	-0.04	0.73
Yi MAXIMUM	-1.81	1.70	-2.59	2.10	-1.77	1.65	-3.09	-2.55	-3.23						2.24	2.13	0.87	1.82
Yi MINIMUM	0.08	0.06	-0.01	-0.05	0.03	0.20	0.03	-0.06	0.00						0.09	-0.01	0.02	0.32
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.70	5.93	9.42	1.10	8.26	3.42	8.16	9.64	8.90						37.73	6.39		
Ratings STD	0.04	0.55	0.26	0.17	0.28	0.61	0.50	0.12	0.29						0.99	0.14		

IIIG Rating Workshop

PART ID = IIIG 03 47884-1

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	2.64	5.05	9.68	2.68	6.84	2.66	9.41	9.89	9.65						39.20	6.26
AVIS	2.67	5.13	9.82	2.13	7.71	1.56	9.52	9.85	9.69						38.71	6.37
CAPRONI	3.05	4.56	9.20	2.35	7.63	2.54	9.70	9.90	9.80						39.13	6.32
CASTILLO	2.76	4.42	9.78	1.86	7.15	1.45	9.56	9.92	9.74						37.16	6.08
GARCIA, O	2.60	4.26	9.44	2.22	7.08	1.54	9.71	9.97	9.84						36.98	6.04
GARCIA, P	3.42	3.98	9.72	2.42	7.34	1.35	9.47	9.90	9.69						37.92	6.18
GARRETT	2.58	4.34	9.84	2.61	7.06	1.29	9.37	9.78	9.58						37.30	6.13
HILLS	2.55	4.65	9.77	2.93	6.82	1.43	9.75	9.90	9.83						37.98	6.16
KOBRINETZ	3.35	4.48	9.70	2.37	7.04	1.13	9.70	9.80	9.75						37.82	6.11
LOPEZ	2.45	3.31	9.74	1.78	6.52	1.16	9.55	9.90	9.73						34.69	5.71
PANSZA	3.05	4.39	9.52	3.01	6.99	2.79	9.67	10.00	9.84						39.59	6.31
RAMIREZ	2.80	4.60	9.56	2.03	7.02	1.66	9.46	9.99	9.73						37.40	6.06
RODRIGUEZ	2.35	4.58	9.78	2.10	6.83	1.01	9.66	9.88	9.77						36.42	5.97
YANCHAR	2.47	4.31	9.80	2.17	6.91	1.25	9.60	9.90	9.75						36.66	6.01
MATRIX	2.66	4.59	9.62	2.12	6.87	1.75	9.63	9.85	9.74						37.35	6.04
MAXIMUM	3.42	5.13	9.84	3.01	7.71	2.79	9.75	10.00	9.84						39.59	6.37
MINIMUM	2.35	3.31	9.20	1.78	6.52	1.01	9.37	9.78	9.58						34.69	5.71
RANGE (MAX-MIN)	1.07	1.82	0.64	1.23	1.19	1.78	0.38	0.22	0.27						4.90	0.65
MEAN	2.76	4.44	9.66	2.32	7.05	1.64	9.58	9.90	9.74						37.62	6.12
STD	0.32	0.42	0.17	0.36	0.31	0.57	0.12	0.06	0.07						1.25	0.16



yi within 1 72.6%
 yi within 2 95.6%
 yi within 3 100.0%

PART ID = IIIG 03 47884-1

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.37	1.43	0.09	1.00	-0.69	1.80	-1.47	-0.09	-1.24						1.26	0.86	0.23	1.11
AVIS	-0.28	1.62	0.90	-0.52	2.11	-0.14	-0.54	-0.74	-0.76						0.87	1.52	0.37	1.06
CAPRONI	0.91	0.27	-2.68	0.09	1.86	1.59	0.98	0.08	0.84						1.21	1.26	0.58	1.23
CASTILLO	0.00	-0.05	0.66	-1.27	0.31	-0.33	-0.20	0.40	0.00						-0.37	-0.23	-0.10	0.51
GARCIA, O	-0.50	-0.43	-1.29	-0.27	0.08	-0.17	1.06	1.21	1.39						-0.51	-0.47	0.01	0.85
GARCIA, P	2.06	-1.09	0.32	0.28	0.92	-0.51	-0.96	0.08	-0.76						0.24	0.39	0.09	0.91
GARRETT	-0.56	-0.24	1.01	0.81	0.02	-0.61	-1.81	-1.87	-2.28						-0.26	0.06	-0.52	1.07
HILLS	-0.66	0.49	0.61	1.70	-0.75	-0.37	1.40	0.08	1.18						0.29	0.25	0.38	0.81
KOBRINETZ	1.84	0.09	0.20	0.14	-0.05	-0.89	0.98	-1.55	0.14						0.16	-0.04	0.09	0.87
LOPEZ	-0.97	-2.67	0.43	-1.49	-1.72	-0.84	-0.29	0.08	-0.20						-2.35	-2.46	-1.13	1.08
PANSZA	0.91	-0.13	-0.83	1.92	-0.21	2.03	0.73	1.70	1.32						1.57	1.15	0.92	0.95
RAMIREZ	0.12	0.37	-0.60	-0.80	-0.11	0.04	-1.05	1.54	-0.20						-0.18	-0.34	-0.11	0.68
RODRIGUEZ	-1.28	0.32	0.66	-0.61	-0.72	-1.10	0.64	-0.25	0.42						-0.96	-0.87	-0.34	0.73
YANCHAR	-0.91	-0.31	0.78	-0.41	-0.46	-0.68	0.14	0.08	0.14						-0.77	-0.63	-0.28	0.51
MATRIX	-0.31	0.35	-0.26	-0.55	-0.59	0.20	0.39	-0.74	0.00						-0.21	-0.44	-0.20	0.39
Yi MAXIMUM	2.06	-2.67	-2.68	1.92	2.11	2.03	-1.81	-1.87	-2.28						-2.35	-2.46	-1.13	1.23
Yi MINIMUM	0.00	-0.05	0.09	0.09	0.02	0.04	0.14	0.08	0.00						0.16	-0.04	0.01	0.39
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	2.76	4.44	9.66	2.32	7.05	1.64	9.58	9.90	9.74						37.62	6.12		
Ratings STD	0.32	0.42	0.17	0.36	0.31	0.57	0.12	0.06	0.07						1.25	0.16		

IIIG Rating Workshop

PART ID = IIIG 04 47884-2

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	1.72	1.72	9.15	1.46	5.68	1.39	9.03	9.73	9.38						30.50	5.09
AVIS	1.30	1.87	9.24	1.28	4.62	1.32	9.27	9.85	9.56						29.19	4.77
CAPRONI	0.97	2.16	9.18	1.14	5.07	1.99	9.44	9.90	9.67						30.18	4.96
CASTILLO	1.25	2.24	9.10	1.27	4.80	1.64	9.10	9.80	9.45						29.75	4.85
GARCIA, O	1.25	2.12	9.06	1.29	4.07	1.68	8.63	9.83	9.23						28.70	4.59
GARCIA, P	0.91	1.72	9.45	1.33	5.13	1.30	9.26	9.94	9.60						29.44	4.94
GARRETT	1.13	1.69	9.41	1.07	4.59	1.24	9.18	9.84	9.51						28.64	4.72
HILLS	1.24	1.85	9.13	1.66	4.84	1.04	9.13	9.81	9.47						29.23	4.83
KOBRINETZ	1.36	1.89	9.28	1.34	5.02	1.20	9.12	9.70	9.41						29.50	4.88
LOPEZ	1.10	1.60	9.26	1.49	4.35	1.39	9.36	9.86	9.61						28.80	4.70
PANSZA	1.54	2.60	9.06	1.85	4.82	2.67	8.30	9.93	9.12						31.66	5.05
RAMIREZ	1.42	1.60	9.05	1.56	5.02	1.49	9.12	9.82	9.47						29.61	4.88
RODRIGUEZ	1.17	1.61	9.26	1.32	4.65	1.00	9.29	9.79	9.54						28.55	4.72
YANCHAR	1.22	1.49	8.97	1.18	4.48	1.19	8.94	9.80	9.37						27.90	4.58
MATRIX	0.83	1.27	9.11	1.06	4.56	1.48	8.62	9.83	9.23						27.54	4.59
MAXIMUM	1.72	2.60	9.45	1.85	5.68	2.67	9.44	9.94	9.67						31.66	5.09
MINIMUM	0.83	1.27	8.97	1.06	4.07	1.00	8.30	9.70	9.12						27.54	4.58
RANGE (MAX-MIN)	0.89	1.33	0.48	0.79	1.61	1.67	1.14	0.24	0.56						4.12	0.51
MEAN	1.23	1.83	9.18	1.35	4.78	1.47	9.05	9.83	9.44						29.28	4.81
STD	0.23	0.34	0.14	0.22	0.38	0.42	0.31	0.07	0.16						1.03	0.16



yi within 1 71.9%
 yi within 2 94.8%
 yi within 3 100.0%

PART ID = IIIG 04 47884-2

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	2.12	-0.32	-0.23	0.49	2.36	-0.19	-0.07	-1.52	-0.39						1.19	1.73	0.47	1.22
AVIS	0.31	0.12	0.44	-0.33	-0.42	-0.35	0.69	0.33	0.76						-0.09	-0.26	0.11	0.43
CAPRONI	-1.11	0.98	0.00	-0.97	0.76	1.25	1.24	1.10	1.46						0.88	0.93	0.59	0.89
CASTILLO	0.10	1.22	-0.60	-0.38	0.05	0.41	0.15	-0.44	0.06						0.46	0.23	0.12	0.50
GARCIA, O	0.10	0.87	-0.89	-0.29	-1.86	0.51	-1.35	0.02	-1.34						-0.56	-1.34	-0.56	0.87
GARCIA, P	-1.37	-0.32	1.99	-0.11	0.92	-0.40	0.66	1.71	1.02						0.16	0.79	0.46	0.98
GARRETT	-0.42	-0.41	1.69	-1.29	-0.50	-0.54	0.41	0.17	0.44						-0.62	-0.55	-0.15	0.79
HILLS	0.05	0.06	-0.37	1.40	0.16	-1.02	0.25	-0.29	0.19						-0.05	0.10	0.04	0.58
KOBRINETZ	0.57	0.18	0.73	-0.06	0.63	-0.64	0.22	-1.98	-0.20						0.22	0.45	0.01	0.77
LOPEZ	-0.55	-0.68	0.59	0.62	-1.13	-0.19	0.98	0.48	1.08						-0.47	-0.70	0.00	0.77
PANSZA	1.35	2.29	-0.89	2.26	0.10	2.87	-2.41	1.56	-2.08						2.31	1.50	0.81	1.85
RAMIREZ	0.83	-0.68	-0.96	0.94	0.63	0.05	0.22	-0.13	0.19						0.32	0.43	0.17	0.59
RODRIGUEZ	-0.25	-0.65	0.59	-0.15	-0.34	-1.12	0.76	-0.59	0.63						-0.71	-0.56	-0.22	0.62
YANCHAR	-0.03	-1.01	-1.56	-0.79	-0.79	-0.66	-0.36	-0.44	-0.45						-1.34	-1.41	-0.80	0.48
MATRIX	-1.71	-1.66	-0.52	-1.34	-0.58	0.03	-1.38	0.02	-1.38						-1.70	-1.36	-1.05	0.67
Yi MAXIMUM	2.12	2.29	1.99	2.26	2.36	2.87	-2.41	-1.98	-2.08						2.31	1.73	-1.05	1.85
Yi MINIMUM	-0.03	0.06	0.00	-0.06	0.05	0.03	-0.07	0.02	0.06						-0.05	0.10	0.00	0.43
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	1.23	1.83	9.18	1.35	4.78	1.47	9.05	9.83	9.44						29.28	4.81		
Ratings STD	0.23	0.34	0.14	0.22	0.38	0.42	0.31	0.07	0.16						1.03	0.16		

IIIG Rating Workshop

PART ID = IIIG 05 47884-5

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt							UWPD	WPD
ADAMS	0.75	9.63	9.90	4.41	9.80	4.62	9.00	9.87	9.44							48.55	7.99
AVIS	0.71	9.83	9.90	5.06	9.89	2.78	9.30	9.87	9.59							47.76	7.96
CAPRONI	0.68	9.20	9.60	6.01	9.50	3.76	9.13	9.80	9.47							48.22	7.95
CASTILLO	0.75	9.87	9.97	4.25	9.94	3.70	9.06	9.86	9.46							47.94	7.95
GARCIA, O	0.94	9.35	9.68	4.61	9.70	4.36	8.38	9.78	9.08							47.72	7.86
GARCIA, P	0.75	9.60	9.96	4.73	9.97	3.35	9.02	9.91	9.47							47.83	7.97
GARRETT	0.73	9.62	9.90	4.36	9.80	3.67	8.90	9.64	9.27							47.35	7.87
HILLS	0.87	9.82	9.90	5.06	9.89	2.46	9.28	9.83	9.56							47.56	7.93
KOBRINETZ	0.88	9.67	9.80	4.61	9.80	3.59	9.28	9.82	9.55							47.90	7.92
LOPEZ	0.75	9.65	9.90	3.23	9.90	2.74	8.85	9.87	9.36							45.53	7.65
PANSZA	0.75	9.92	10.00	4.95	9.90	3.96	8.37	9.83	9.10							48.58	8.05
RAMIREZ	1.02	9.58	9.78	4.97	9.82	3.06	8.60	9.84	9.22							47.45	7.88
RODRIGUEZ	0.75	9.77	9.90	4.95	9.90	3.62	9.08	9.79	9.44							48.33	8.01
YANCHAR	0.91	9.81	9.95	4.34	9.85	2.58	9.11	9.66	9.39							46.83	7.82
MATRIX	0.75	9.84	9.90	3.80	9.90	3.37	9.43	9.85	9.64							47.20	7.84
MAXIMUM	1.02	9.92	10.00	6.01	9.97	4.62	9.43	9.91	9.64							48.58	8.05
MINIMUM	0.68	9.20	9.60	3.23	9.50	2.46	8.37	9.64	9.08							45.53	7.65
RANGE (MAX-MIN)	0.34	0.72	0.40	2.78	0.47	2.16	1.06	0.27	0.56							3.05	0.40
MEAN	0.80	9.68	9.87	4.62	9.84	3.44	8.99	9.81	9.40							47.65	7.91
STD	0.10	0.20	0.11	0.63	0.12	0.63	0.32	0.08	0.17							0.76	0.10



yi within 1 74.8%
 yi within 2 94.1%
 yi within 3 100.0%

PART ID = IIIG 05 47884-5

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt							UWPD	WPD	MEAN	STD
ADAMS	-0.50	-0.24	0.28	-0.34	-0.32	1.87	0.04	0.74	0.21							1.18	0.79	0.34	0.74
AVIS	-0.91	0.77	0.28	0.69	0.46	-1.05	0.98	0.74	1.10							0.14	0.52	0.34	0.71
CAPRONI	-1.21	-2.41	-2.45	2.19	-2.92	0.51	0.45	-0.20	0.38							0.74	0.39	-0.41	1.62
CASTILLO	-0.50	0.97	0.91	-0.59	0.89	0.41	0.23	0.60	0.35							0.38	0.45	0.37	0.52
GARCIA, O	1.43	-1.65	-1.72	-0.02	-1.19	1.46	-1.89	-0.46	-1.90							0.09	-0.48	-0.58	1.23
GARCIA, P	-0.50	-0.39	0.82	0.17	1.15	-0.14	0.11	1.27	0.38							0.23	0.63	0.34	0.58
GARRETT	-0.70	-0.29	0.28	-0.42	-0.32	0.36	-0.27	-2.32	-0.77							-0.39	-0.45	-0.48	0.70
HILLS	0.72	0.72	0.28	0.69	0.46	-1.56	0.92	0.20	0.92							-0.12	0.23	0.31	0.70
KOBRINETZ	0.82	-0.04	-0.63	-0.02	-0.32	0.24	0.92	0.07	0.89							0.33	0.06	0.21	0.50
LOPEZ	-0.50	-0.14	0.28	-2.20	0.54	-1.11	-0.42	0.74	-0.24							-2.78	-2.71	-0.78	1.26
PANSZA	-0.50	1.23	1.19	0.52	0.54	0.82	-1.92	0.20	-1.78							1.22	1.41	0.27	1.18
RAMIREZ	2.24	-0.49	-0.81	0.55	-0.15	-0.60	-1.20	0.34	-1.07							-0.26	-0.27	-0.16	0.96
RODRIGUEZ	-0.50	0.47	0.28	0.52	0.54	0.28	0.29	-0.33	0.21							0.89	1.05	0.34	0.46
YANCHAR	1.12	0.67	0.73	-0.45	0.11	-1.37	0.39	-2.06	-0.09							-1.08	-0.94	-0.27	1.00
MATRIX	-0.50	0.82	0.28	-1.30	0.54	-0.11	1.38	0.47	1.42							-0.59	-0.70	0.16	0.88
Yi MAXIMUM	2.24	-2.41	-2.45	-2.20	-2.92	1.87	-1.92	-2.32	-1.90							-2.78	-2.71	-0.78	1.62
Yi MINIMUM	-0.50	-0.04	0.28	-0.02	0.11	-0.11	0.04	0.07	-0.09							0.09	0.06	0.16	0.46
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00							0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00							1.00	1.00		
Ratings MEAN	0.80	9.68	9.87	4.62	9.84	3.44	8.99	9.81	9.40							47.65	7.91		
Ratings STD	0.10	0.20	0.11	0.63	0.12	0.63	0.32	0.08	0.17							0.76	0.10		

IIIG Rating Workshop

PART ID = IIIG 06 47884-6

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	1.38	3.46	9.67	1.33	7.33	2.25	8.82	9.88	9.35						34.77	5.91
AVIS	1.73	3.60	9.74	0.96	7.59	4.99	9.02	9.88	9.45						38.06	6.26
CAPRONI	1.44	4.06	9.40	1.00	7.90	4.51	8.96	9.90	9.43						37.74	6.27
CASTILLO	1.30	3.94	9.85	1.05	7.33	3.54	8.22	9.90	9.06						36.07	6.05
GARCIA, O	2.46	4.88	9.72	1.46	7.60	4.47	8.51	9.86	9.19						39.78	6.42
GARCIA, P	1.69	4.51	9.92	0.87	8.04	4.09	8.74	9.94	9.34						38.46	6.41
GARRETT	1.56	3.68	9.80	1.02	7.54	3.39	8.84	9.70	9.27						36.26	6.09
HILLS	1.27	4.35	9.86	1.15	7.76	2.30	8.93	9.99	9.46						36.15	6.15
KOBRINETZ	1.78	4.00	9.80	0.98	7.83	3.08	8.90	9.80	9.35						36.82	6.19
LOPEZ	0.80	3.16	9.86	0.98	7.49	3.50	8.74	9.90	9.32						35.11	6.00
PANSZA	1.66	4.72	9.72	1.38	7.34	5.44	7.25	9.79	8.52						38.78	6.30
RAMIREZ	1.85	3.23	9.78	1.21	8.15	4.49	8.89	9.88	9.39						38.10	6.39
RODRIGUEZ	1.51	4.57	9.91	1.23	7.71	1.80	9.16	9.89	9.53						36.26	6.14
YANCHAR	1.22	3.89	9.87	1.00	7.72	3.28	8.93	9.75	9.34						36.32	6.15
MATRIX	0.77	3.16	9.81	0.86	7.10	2.42	8.52	9.90	9.21						33.33	5.74
MAXIMUM	2.46	4.88	9.92	1.46	8.15	5.44	9.16	9.99	9.53						39.78	6.42
MINIMUM	0.77	3.16	9.40	0.86	7.10	1.80	7.25	9.70	8.52						33.33	5.74
RANGE (MAX-MIN)	1.69	1.72	0.52	0.60	1.05	3.64	1.91	0.29	1.01						6.45	0.68
MEAN	1.49	3.95	9.78	1.10	7.63	3.57	8.70	9.86	9.28						36.80	6.16
STD	0.42	0.57	0.13	0.19	0.29	1.09	0.46	0.07	0.24						1.70	0.19



yi within 1 71.9%
 yi within 2 96.3%
 yi within 3 98.5%

*The highlighted undercrown ratings were made prior to inadvertent removal of much of the deposits

PART ID = IIIG 06 47884-6

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.27	-0.86	-0.86	1.25	-1.04	-1.22	0.27	0.21	0.29						-1.19	-1.35	-0.43	0.84
AVIS	0.56	-0.61	-0.32	-0.75	-0.13	1.31	0.70	0.21	0.71						0.74	0.50	0.27	0.64
CAPRONI	-0.13	0.20	-2.97	-0.53	0.94	0.87	0.57	0.48	0.62						0.55	0.57	0.11	1.11
CASTILLO	-0.47	-0.01	0.54	-0.26	-1.04	-0.03	-1.03	0.48	-0.91						-0.43	-0.62	-0.34	0.55
GARCIA, O	2.31	1.64	-0.47	1.95	-0.10	0.83	-0.40	-0.05	-0.39						1.75	1.34	0.76	1.07
GARCIA, P	0.47	0.99	1.09	-1.23	1.43	0.48	0.10	1.02	0.25						0.98	1.27	0.62	0.75
GARRETT	0.16	-0.47	0.15	-0.42	-0.31	-0.17	0.31	-2.20	-0.04						-0.32	-0.40	-0.34	0.67
HILLS	-0.54	0.71	0.62	0.28	0.46	-1.17	0.51	1.69	0.75						-0.38	-0.09	0.26	0.77
KOBRINETZ	0.68	0.09	0.15	-0.64	0.70	-0.45	0.44	-0.86	0.29						0.01	0.13	0.05	0.51
LOPEZ	-1.66	-1.38	0.62	-0.64	-0.48	-0.06	0.10	0.48	0.17						-0.99	-0.84	-0.43	0.75
PANSZA	0.40	1.36	-0.47	1.52	-1.00	1.72	-3.12	-0.99	-3.15						1.16	0.74	-0.17	1.75
RAMIREZ	0.85	-1.26	-0.01	0.60	1.81	0.85	0.42	0.21	0.44						0.76	1.16	0.53	0.77
RODRIGUEZ	0.04	1.09	1.01	0.71	0.28	-1.63	1.00	0.35	1.02						-0.32	-0.10	0.31	0.82
YANCHAR	-0.66	-0.10	0.70	-0.53	0.32	-0.27	0.51	-1.53	0.25						-0.28	-0.06	-0.15	0.62
MATRIX	-1.73	-1.38	0.23	-1.29	-1.84	-1.06	-0.38	0.48	-0.29						-2.04	-2.24	-1.05	0.93
Yi MAXIMUM	2.31	1.64	-2.97	1.95	-1.84	1.72	-3.12	-2.20	-3.15						-2.04	-2.24	-1.05	1.75
Yi MINIMUM	0.04	-0.01	-0.01	-0.26	-0.10	-0.03	0.10	-0.05	-0.04						0.01	-0.06	0.05	0.51
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	1.49	3.95	9.78	1.10	7.63	3.57	8.70	9.86	9.28						36.80	6.16		
Ratings STD	0.42	0.57	0.13	0.19	0.29	1.09	0.46	0.07	0.24						1.70	0.19		

IIIG Rating Workshop

PART ID = IIIG 07 47885-5

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	1.60	6.45	9.71	0.85	8.42	4.76	8.94	9.61	9.28						41.07	6.72
AVIS	0.97	6.81	9.71	0.61	8.27	3.76	8.74	9.61	9.18						39.31	6.54
CAPRONI	0.98	6.65	9.10	0.75	8.43	3.95	9.10	9.67	9.39						39.25	6.51
CASTILLO	1.04	5.30	9.61	0.79	7.76	3.31	9.08	9.64	9.36						37.17	6.22
GARCIA, O	1.29	4.98	9.16	1.14	7.86	3.05	8.42	9.62	9.02						36.50	6.13
GARCIA, P	0.89	5.42	9.75	0.80	8.25	3.41	9.04	9.80	9.42						37.94	6.41
GARRETT	0.97	5.69	9.73	0.64	8.08	2.99	8.83	9.29	9.06						37.16	6.29
HILLS	1.21	6.22	9.70	1.00	8.34	2.85	9.10	9.70	9.40						38.72	6.50
KOBRINETZ	1.28	5.51	9.60	0.65	8.40	3.10	9.15	9.56	9.36						37.90	6.40
LOPEZ	1.00	4.61	9.48	0.69	8.66	3.00	8.92	9.70	9.31						36.75	6.34
PANSZA	0.97	6.73	9.32	1.08	8.23	5.34	7.60	9.36	8.48						40.15	6.60
RAMIREZ	1.02	4.16	9.50	1.01	8.27	3.90	9.04	9.70	9.37						37.23	6.33
RODRIGUEZ	0.92	5.39	9.74	0.82	8.12	2.91	8.78	9.63	9.21						37.11	6.30
YANCHAR	0.97	4.84	9.80	0.62	7.91	2.88	8.81	9.44	9.13						36.15	6.16
MATRIX	1.09	5.74	9.82	0.68	7.79	3.42	8.95	9.70	9.33						37.87	6.31
MAXIMUM	1.60	6.81	9.82	1.14	8.66	5.34	9.15	9.80	9.42						41.07	6.72
MINIMUM	0.89	4.16	9.10	0.61	7.76	2.85	7.60	9.29	8.48						36.15	6.13
RANGE (MAX-MIN)	0.71	2.65	0.72	0.53	0.90	2.49	1.55	0.51	0.94						4.92	0.59
MEAN	1.08	5.63	9.58	0.81	8.19	3.51	8.83	9.60	9.22						38.02	6.38
STD	0.19	0.81	0.23	0.17	0.26	0.73	0.39	0.14	0.24						1.41	0.17



yi within 1 74.8%
 yi within 2 95.6%
 yi within 3 98.5%

PART ID = IIIG 07 47885-5

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	2.74	1.01	0.56	0.24	0.89	1.71	0.27	0.06	0.24						2.16	2.05	1.09	0.93
AVIS	-0.58	1.46	0.56	-1.14	0.32	0.34	-0.24	0.06	-0.18						0.91	0.93	0.22	0.74
CAPRONI	-0.53	1.26	-2.12	-0.34	0.93	0.60	0.68	0.49	0.70						0.87	0.76	0.30	0.96
CASTILLO	-0.21	-0.41	0.12	-0.11	-1.62	-0.27	0.63	0.27	0.59						-0.60	-1.00	-0.24	0.67
GARCIA, O	1.11	-0.81	-1.86	1.90	-1.24	-0.63	-1.06	0.13	-0.82						-1.07	-1.53	-0.53	1.14
GARCIA, P	-1.00	-0.26	0.74	-0.05	0.24	-0.13	0.53	1.43	0.84						-0.05	0.19	0.22	0.65
GARRETT	-0.58	0.07	0.65	-0.97	-0.40	-0.71	-0.01	-2.25	-0.66						-0.61	-0.57	-0.55	0.72
HILLS	0.69	0.73	0.52	1.10	0.59	-0.90	0.68	0.71	0.76						0.50	0.70	0.55	0.51
KOBRINETZ	1.05	-0.15	0.08	-0.91	0.82	-0.56	0.81	-0.30	0.57						-0.09	0.09	0.13	0.62
LOPEZ	-0.42	-1.27	-0.45	-0.68	1.81	-0.70	0.22	0.71	0.38						-0.90	-0.27	-0.14	0.87
PANSZA	-0.58	1.36	-1.15	1.56	0.17	2.51	-3.17	-1.75	-3.07						1.51	1.30	-0.12	1.96
RAMIREZ	-0.32	-1.82	-0.36	1.15	0.32	0.54	0.53	0.71	0.63						-0.56	-0.34	0.04	0.83
RODRIGUEZ	-0.84	-0.30	0.70	0.07	-0.25	-0.82	-0.14	0.20	-0.05						-0.65	-0.48	-0.23	0.46
YANCHAR	-0.58	-0.98	0.96	-1.08	-1.05	-0.86	-0.06	-1.17	-0.39						-1.33	-1.35	-0.72	0.68
MATRIX	0.05	0.13	1.05	-0.74	-1.51	-0.12	0.30	0.71	0.45						-0.11	-0.47	-0.02	0.70
Yi MAXIMUM	2.74	-1.82	-2.12	1.90	1.81	2.51	-3.17	-2.25	-3.07						2.16	2.05	1.09	1.96
Yi MINIMUM	0.05	0.07	0.08	-0.05	0.17	-0.12	-0.01	0.06	-0.05						-0.05	0.09	-0.02	0.46
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	1.08	5.63	9.58	0.81	8.19	3.51	8.83	9.60	9.22						38.02	6.38		
Ratings STD	0.19	0.81	0.23	0.17	0.26	0.73	0.39	0.14	0.24						1.41	0.17		

IIIG Rating Workshop

PART ID = IIIG 08 47885-6

RATED VALUES

Table with columns: Groove 1, Groove 2, Groove 3, Land 2, Land 3, Under-crown, Thrust, Anti-thrust, Average Skirt, UWPD, WPD. Rows include: ADAMS, AVIS, CAPRONI, CASTILLO, GARCIA, O, GARCIA, P, GARRETT, HILLS, KOBRINETZ, LOPEZ, PANSZA, RAMIREZ, RODRIGUEZ, YANCHAR, MATRIX, MAXIMUM, MINIMUM, RANGE (MAX-MIN), MEAN, STD.



yi within 1 71.9%
yi within 2 95.6%
yi within 3 100.0%

PART ID = IIIG 08 47885-6

Yi VALUES


Table with columns: Groove 1, Groove 2, Groove 3, Land 2, Land 3, Under-crown, Thrust, Anti-thrust, Average Skirt, UWPD, WPD, MEAN, STD. Rows include: ADAMS, AVIS, CAPRONI, CASTILLO, GARCIA, O, GARCIA, P, GARRETT, HILLS, KOBRINETZ, LOPEZ, PANSZA, RAMIREZ, RODRIGUEZ, YANCHAR, MATRIX, Yi MAXIMUM, Yi MINIMUM, Yi MEAN, Yi STD, Ratings MEAN, Ratings STD.

IIIG Rating Workshop

PART ID = IIIG 09 47886-6

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt					UWPD	WPD
ADAMS	0.64	5.68	9.05	1.20	6.65	4.00	7.58	9.70	8.64					35.86	5.85
AVIS	0.69	5.98	9.47	1.62	7.56	3.58	8.78	9.82	9.30					38.20	6.33
CAPRONI	0.75	6.02	9.58	1.22	7.06	4.65	8.35	9.80	9.08					38.36	6.23
CASTILLO	0.75	5.62	9.09	1.34	6.56	3.45	8.35	9.73	9.04					35.85	5.84
GARCIA, O	0.75	5.17	9.08	1.52	6.58	2.98	7.81	9.71	8.76					34.84	5.75
GARCIA, P	0.75	5.48	9.37	1.50	6.76	3.05	7.65	9.91	8.78					35.69	5.90
GARRETT	0.66	5.70	9.29	1.44	6.75	3.14	8.15	9.74	8.95					35.93	5.91
HILLS	0.90	6.10	9.54	1.50	6.44	2.70	8.57	9.76	9.17					36.35	5.91
KOBRINETZ	0.75	5.70	9.25	1.23	6.93	3.10	8.23	9.70	8.97					35.93	5.93
LOPEZ	0.75	5.55	9.04	1.47	6.57	2.76	8.40	9.86	9.13					35.27	5.78
PANSZA	0.75	5.40	9.00	1.66	6.94	3.38	8.54	9.55	9.05					36.18	5.95
RAMIREZ	0.75	5.53	8.78	1.72	6.76	3.51	8.68	9.91	9.30					36.35	5.91
RODRIGUEZ	0.75	6.44	9.48	1.29	6.69	2.40	8.31	9.71	9.01					36.06	5.92
YANCHAR	0.73	5.80	9.64	1.33	6.71	2.67	8.38	9.81	9.10					35.98	5.93
MATRIX	0.75	5.77	9.23	1.28	6.61	3.16	8.23	9.78	9.01					35.81	5.85
MAXIMUM	0.90	6.44	9.64	1.72	7.56	4.65	8.78	9.91	9.30					38.36	6.33
MINIMUM	0.64	5.17	8.78	1.20	6.44	2.40	7.58	9.55	8.64					34.84	5.75
RANGE (MAX-MIN)	0.26	1.27	0.86	0.52	1.12	2.25	1.20	0.36	0.66					3.52	0.58
MEAN	0.74	5.73	9.26	1.42	6.77	3.24	8.27	9.77	9.02					36.17	5.93
STD	0.06	0.31	0.25	0.17	0.27	0.57	0.35	0.09	0.18					0.94	0.15



yi within 1 71.9%
 yi within 2 95.6%
 yi within 3 100.0%

PART ID = IIIG 09 47886-6

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt					UWPD	WPD	MEAN	STD
ADAMS	-1.78	-0.16	-0.83	-1.33	-0.44	1.35	-1.96	-0.71	-2.04					-0.34	-0.54	-0.80	0.98
AVIS	-0.90	0.80	0.84	1.19	2.89	0.61	1.46	0.58	1.54					2.16	2.58	1.25	1.06
CAPRONI	0.15	0.93	1.28	-1.21	1.06	2.49	0.24	0.37	0.32					2.33	1.95	0.90	1.09
CASTILLO	0.15	-0.35	-0.67	-0.49	-0.77	0.38	0.24	-0.39	0.13					-0.35	-0.63	-0.25	0.40
GARCIA, O	0.15	-1.79	-0.71	0.59	-0.70	-0.45	-1.30	-0.60	-1.39					-1.43	-1.21	-0.80	0.72
GARCIA, P	0.15	-0.80	0.44	0.47	-0.04	-0.33	-1.76	1.55	-1.28					-0.52	-0.24	-0.21	0.90
GARRETT	-1.43	-0.09	0.12	0.11	-0.08	-0.17	-0.33	-0.28	-0.39					-0.27	-0.14	-0.27	0.42
HILLS	2.78	1.19	1.12	0.47	-1.21	-0.94	0.86	-0.06	0.81					0.18	-0.16	0.46	1.10
KOBRINETZ	0.15	-0.09	-0.04	-1.15	0.58	-0.24	-0.11	-0.71	-0.28					-0.27	-0.03	-0.20	0.45
LOPEZ	0.15	-0.57	-0.87	0.29	-0.74	-0.84	0.38	1.01	0.62					-0.97	-0.99	-0.23	0.73
PANSZA	0.15	-1.05	-1.03	1.43	0.62	0.25	0.78	-2.33	0.15					0.00	0.13	-0.08	1.03
RAMIREZ	0.15	-0.64	-1.91	1.79	-0.04	0.48	1.18	1.55	1.51					0.18	-0.12	0.38	1.10
RODRIGUEZ	0.15	2.27	0.88	-0.79	-0.30	-1.47	0.12	-0.60	-0.04					-0.12	-0.08	0.00	0.96
YANCHAR	-0.20	0.23	1.52	-0.55	-0.22	-1.00	0.32	0.47	0.43					-0.21	0.01	0.07	0.65
MATRIX	0.15	0.13	-0.12	-0.85	-0.59	-0.13	-0.11	0.15	-0.06					-0.39	-0.52	-0.21	0.33
Yi MAXIMUM	2.78	2.27	-1.91	1.79	2.89	2.49	-1.96	-2.33	-2.04					2.33	2.58	1.25	1.10
Yi MINIMUM	0.15	-0.09	-0.04	0.11	-0.04	-0.13	-0.11	-0.06	-0.04					0.00	0.01	0.00	0.33
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00					1.00	1.00		
Ratings MEAN	0.74	5.73	9.26	1.42	6.77	3.24	8.27	9.77	9.02					36.17	5.93		
Ratings STD	0.06	0.31	0.25	0.17	0.27	0.57	0.35	0.09	0.18					0.94	0.15		

IIIG Rating Workshop

PART ID = IIIG 10 47886-6

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.65	3.19	7.71	1.02	6.91	4.05	8.08	9.76	8.92						32.45	5.42
AVIS	0.73	2.62	8.67	1.00	7.28	2.55	8.69	9.85	9.27						32.12	5.55
CAPRONI	0.64	4.14	8.55	0.77	7.13	3.26	8.53	9.90	9.22						33.71	5.66
CASTILLO	0.74	3.06	8.41	0.97	6.52	2.60	8.61	9.88	9.25						31.55	5.31
GARCIA, O	0.92	3.30	8.59	1.11	6.44	2.59	7.53	9.88	8.71						31.66	5.32
GARCIA, P	0.68	3.32	8.74	1.00	7.13	2.85	8.46	9.97	9.22						32.94	5.61
GARRETT	0.64	2.55	8.70	1.01	7.21	2.45	7.97	9.80	8.89						31.45	5.48
HILLS	0.71	2.91	8.32	1.21	7.22	2.10	8.25	9.77	9.01						31.48	5.45
KOBRINETZ	0.65	3.35	8.53	0.94	7.40	2.16	8.20	9.81	9.01						32.04	5.55
LOPEZ	0.72	2.63	8.64	1.15	7.20	1.95	8.37	9.88	9.13						31.42	5.47
PANSZA	0.64	3.69	8.18	1.49	6.96	3.04	7.92	9.72	8.82						32.82	5.53
RAMIREZ	0.75	3.09	8.40	1.14	7.46	2.73	8.56	9.92	9.24						32.81	5.63
RODRIGUEZ	0.68	3.10	8.44	0.92	6.86	1.91	8.08	9.82	8.95						30.86	5.31
YANCHAR	0.75	3.18	8.84	0.92	6.98	2.38	8.00	9.86	8.93						31.98	5.49
MATRIX	0.71	3.24	8.69	0.82	6.74	2.73	7.97	9.87	8.92						31.85	5.41
MAXIMUM	0.92	4.14	8.84	1.49	7.46	4.05	8.69	9.97	9.27						33.71	5.66
MINIMUM	0.64	2.55	7.71	0.77	6.44	1.91	7.53	9.72	8.71						30.86	5.31
RANGE (MAX-MIN)	0.28	1.59	1.13	0.72	1.02	2.14	1.16	0.25	0.57						2.85	0.35
MEAN	0.71	3.16	8.49	1.03	7.03	2.62	8.21	9.85	9.03						32.07	5.48
STD	0.07	0.41	0.28	0.17	0.30	0.55	0.32	0.07	0.18						0.75	0.11



yi within 1 72.6%
 yi within 2 95.6%
 yi within 3 100.0%

PART ID = IIIG 10 47886-6

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.80	0.08	-2.81	-0.06	-0.40	2.59	-0.42	-1.30	-0.62						0.50	-0.56	-0.35	1.30
AVIS	0.32	-1.31	0.63	-0.18	0.84	-0.13	1.48	0.06	1.36						0.06	0.62	0.34	0.78
CAPRONI	-0.94	2.39	0.20	-1.50	0.34	1.16	0.98	0.82	1.04						2.18	1.60	0.75	1.19
CASTILLO	0.45	-0.24	-0.30	-0.35	-1.71	-0.04	1.23	0.51	1.21						-0.71	-1.50	-0.13	0.96
GARCIA, O	2.96	0.35	0.34	0.45	-1.98	-0.06	-2.13	0.51	-1.84						-0.56	-1.40	-0.30	1.50
GARCIA, P	-0.38	0.39	0.88	-0.18	0.34	0.41	0.76	1.88	1.04						1.15	1.17	0.68	0.65
GARRETT	-0.94	-1.48	0.74	-0.12	0.61	-0.32	-0.76	-0.70	-0.82						-0.84	-0.03	-0.42	0.68
HILLS	0.04	-0.60	-0.62	1.02	0.64	-0.95	0.11	-1.15	-0.11						-0.79	-0.27	-0.25	0.67
KOBRINETZ	-0.80	0.47	0.13	-0.52	1.24	-0.84	-0.05	-0.54	-0.14						-0.05	0.64	-0.04	0.64
LOPEZ	0.18	-1.29	0.52	0.68	0.57	-1.22	0.48	0.51	0.54						-0.88	-0.11	0.00	0.76
PANSZA	-0.94	1.30	-1.13	2.63	-0.23	0.76	-0.92	-1.91	-1.19						1.00	0.50	-0.01	1.36
RAMIREZ	0.59	-0.17	-0.34	0.62	1.44	0.19	1.08	1.12	1.19						0.99	1.37	0.74	0.61
RODRIGUEZ	-0.38	-0.14	-0.19	-0.64	-0.57	-1.30	-0.42	-0.39	-0.45						-1.62	-1.47	-0.69	0.52
YANCHAR	0.59	0.05	1.24	-0.64	-0.17	-0.44	-0.67	0.21	-0.57						-0.13	0.07	-0.04	0.58
MATRIX	0.04	0.20	0.70	-1.21	-0.97	0.19	-0.76	0.36	-0.62						-0.30	-0.64	-0.27	0.61
Yi MAXIMUM	2.96	2.39	-2.81	2.63	-1.98	2.59	-2.13	-1.91	-1.84						2.18	1.60	0.75	1.50
Yi MINIMUM	0.04	0.05	0.13	-0.06	-0.17	-0.04	-0.05	0.06	-0.11						-0.05	-0.03	0.00	0.52
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.71	3.16	8.49	1.03	7.03	2.62	8.21	9.85	9.03						32.07	5.48		
Ratings STD	0.07	0.41	0.28	0.17	0.30	0.55	0.32	0.07	0.18						0.75	0.11		

IIIG Rating Workshop

PART ID = IIIG 11 47889-4

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.64	0.75	5.16	0.69	0.69	0.75	4.62	8.56	6.59						15.27	2.18
AVIS	0.74	0.71	5.50	0.45	0.75	0.75	5.39	9.00	7.20						16.10	2.30
CAPRONI	0.75	0.75	5.53	0.34	0.86	0.98	6.22	9.15	7.69						16.90	2.39
CASTILLO	0.74	0.74	5.19	1.06	0.92	1.00	5.85	8.90	7.38						17.03	2.42
GARCIA, O	0.73	0.75	5.46	0.84	0.87	0.80	6.05	9.14	7.60						17.05	2.43
GARCIA, P	0.75	0.75	5.32	0.60	0.90	1.18	5.80	9.26	7.53						17.03	2.41
GARRETT	0.68	0.74	5.27	0.57	0.79	1.00	5.67	8.84	7.26						16.31	2.31
HILLS	0.75	0.75	5.43	0.89	1.07	1.00	6.54	9.12	7.83						17.72	2.54
KOBRINETZ	0.74	0.75	4.78	0.65	0.80	0.85	5.40	8.65	7.03						15.60	2.19
LOPEZ	0.71	0.75	4.93	0.70	0.75	1.00	5.36	9.22	7.29						16.13	2.26
PANSZA	0.71	0.71	5.26	0.52	0.72	1.00	6.89	8.82	7.86						16.78	2.34
RAMIREZ	0.75	0.72	5.38	0.94	0.74	1.00	6.23	9.18	7.71						17.24	2.42
RODRIGUEZ	0.71	0.72	4.88	0.83	0.56	1.00	5.46	8.80	7.13						15.83	2.19
YANCHAR	0.74	0.75	5.37	0.58	0.72	1.00	5.38	9.00	7.19						16.35	2.31
MATRIX	0.74	0.75	4.75	0.69	0.75	1.00	5.82	9.08	7.45						16.13	2.24
MAXIMUM	0.75	0.75	5.53	1.06	1.07	1.18	6.89	9.26	7.86						17.72	2.54
MINIMUM	0.64	0.71	4.75	0.34	0.56	0.75	4.62	8.56	6.59						15.27	2.18
RANGE (MAX-MIN)	0.11	0.04	0.78	0.72	0.51	0.43	2.27	0.70	1.27						2.45	0.35
MEAN	0.73	0.74	5.21	0.69	0.79	0.95	5.78	8.98	7.38						16.50	2.33
STD	0.03	0.02	0.26	0.19	0.12	0.12	0.56	0.21	0.34						0.68	0.11



yi within 1 74.1%
 yi within 2 97.0%
 yi within 3 100.0%

PART ID = IIIG 11 47889-4

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-2.74	0.68	-0.21	0.00	-0.86	-1.76	-2.07	-1.99	-2.33						-1.81	-1.37	-1.31	1.08
AVIS	0.47	-1.86	1.09	-1.24	-0.36	-1.76	-0.69	0.09	-0.55						-0.59	-0.31	-0.52	0.89
CAPRONI	0.79	0.68	1.21	-1.80	0.57	0.22	0.79	0.79	0.90						0.59	0.63	0.49	0.80
CASTILLO	0.47	0.04	-0.09	1.91	1.07	0.40	0.13	-0.38	-0.01						0.78	0.89	0.47	0.65
GARCIA, O	0.15	0.68	0.94	0.77	0.65	-1.33	0.49	0.75	0.63						0.81	0.97	0.50	0.65
GARCIA, P	0.79	0.68	0.41	-0.46	0.90	1.95	0.04	1.31	0.44						0.79	0.76	0.69	0.63
GARRETT	-1.46	0.04	0.21	-0.62	-0.02	0.40	-0.19	-0.67	-0.37						-0.28	-0.17	-0.28	0.50
HILLS	0.79	0.68	0.83	1.03	2.33	0.40	1.36	0.65	1.33						1.81	1.98	1.20	0.62
KOBRINETZ	0.47	0.68	-1.66	-0.21	0.06	-0.90	-0.68	-1.56	-1.05						-1.33	-1.28	-0.68	0.81
LOPEZ	-0.49	0.68	-1.09	0.05	-0.36	0.40	-0.75	1.12	-0.27						-0.54	-0.69	-0.18	0.67
PANSZA	-0.49	-1.86	0.18	-0.88	-0.61	0.40	1.99	-0.76	1.40						0.41	0.10	-0.01	1.08
RAMIREZ	0.79	-1.22	0.64	1.29	-0.44	0.40	0.81	0.94	0.96						1.09	0.87	0.56	0.74
RODRIGUEZ	-0.49	-1.22	-1.28	0.72	-1.95	0.40	-0.57	-0.85	-0.74						-0.98	-1.32	-0.75	0.77
YANCHAR	0.47	0.68	0.60	-0.57	-0.61	0.40	-0.71	0.09	-0.56						-0.22	-0.19	-0.06	0.53
MATRIX	0.47	0.68	-1.78	0.00	-0.36	0.40	0.07	0.47	0.21						-0.54	-0.87	-0.11	0.73
Yi MAXIMUM	-2.74	-1.86	-1.78	1.91	2.33	1.95	-2.07	-1.99	-2.33						-1.81	1.98	-1.31	1.08
Yi MINIMUM	0.15	0.04	-0.09	0.00	-0.02	0.22	0.04	0.09	-0.01						-0.22	0.10	-0.01	0.50
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.73	0.74	5.21	0.69	0.79	0.95	5.78	8.98	7.38						16.50	2.33		
Ratings STD	0.03	0.02	0.26	0.19	0.12	0.12	0.56	0.21	0.34						0.68	0.11		

IIIG Rating Workshop

PART ID = IIIG 12 47891-5

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.69	5.73	9.08	1.47	6.21	3.40	6.75	9.31	8.03						34.61	5.65
AVIS	0.75	6.23	9.52	1.61	6.95	3.32	8.69	9.43	9.06						37.44	6.13
CAPRONI	0.75	6.13	9.02	1.64	6.78	3.95	8.20	9.42	8.81						37.08	6.01
CASTILLO	0.69	5.83	9.08	1.49	6.41	3.10	8.20	9.48	8.84						35.44	5.77
GARCIA, O	0.81	5.60	8.67	1.88	6.14	2.89	7.60	9.42	8.51						34.50	5.60
GARCIA, P	0.75	6.11	9.18	1.50	5.75	3.85	7.10	9.56	8.33						35.47	5.65
GARRETT	0.73	5.76	9.48	1.31	6.66	2.44	7.57	9.25	8.41						34.79	5.79
HILLS	0.77	5.58	9.63	1.72	6.67	2.90	7.94	9.40	8.67						35.94	5.94
KOBRINETZ	0.62	5.61	9.48	1.46	6.30	2.80	7.18	9.20	8.19						34.46	5.70
LOPEZ	0.75	5.86	9.48	1.46	6.27	2.65	7.96	9.34	8.65						35.12	5.75
PANSZA	0.90	5.96	9.13	2.42	7.44	2.59	8.05	9.02	8.54						36.98	6.17
RAMIREZ	0.78	6.36	9.05	2.08	6.79	4.03	8.05	9.40	8.73						37.82	6.11
RODRIGUEZ	0.58	7.87	9.53	1.61	6.61	2.70	8.27	9.46	8.87						37.77	6.10
YANCHAR	0.66	5.91	9.67	1.38	6.49	2.54	7.93	9.35	8.64						35.29	5.83
MATRIX	0.75	6.55	9.54	1.42	6.34	2.63	7.18	9.23	8.21						35.44	5.80
MAXIMUM	0.90	7.87	9.67	2.42	7.44	4.03	8.69	9.56	9.06						37.82	6.17
MINIMUM	0.58	5.58	8.67	1.31	5.75	2.44	6.75	9.02	8.03						34.46	5.60
RANGE (MAX-MIN)	0.32	2.29	1.00	1.11	1.69	1.59	1.94	0.54	1.03						3.36	0.58
MEAN	0.73	6.07	9.30	1.63	6.52	3.05	7.78	9.35	8.56						35.88	5.87
STD	0.08	0.57	0.29	0.30	0.40	0.54	0.53	0.13	0.29						1.21	0.20



yi within 1 77.0%
 yi within 2 95.6%
 yi within 3 99.3%

PART ID = IIIG 12 47891-5

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.54	-0.60	-0.77	-0.54	-0.78	0.65	-1.93	-0.31	-1.86						-1.04	-1.11	-0.80	0.71
AVIS	0.23	0.27	0.75	-0.07	1.08	0.50	1.71	0.59	1.72						1.29	1.34	0.86	0.61
CAPRONI	0.23	0.10	-0.97	0.03	0.65	1.67	0.79	0.51	0.85						0.99	0.74	0.51	0.67
CASTILLO	-0.54	-0.42	-0.77	-0.47	-0.28	0.09	0.79	0.96	0.96						-0.36	-0.48	-0.05	0.65
GARCIA, O	1.01	-0.82	-2.18	0.84	-0.96	-0.30	-0.33	0.51	-0.19						-1.13	-1.38	-0.45	0.98
GARCIA, P	0.23	0.07	-0.42	-0.44	-1.94	1.49	-1.27	1.56	-0.82						-0.33	-1.10	-0.27	1.08
GARRETT	-0.03	-0.54	0.61	-1.08	0.35	-1.14	-0.39	-0.76	-0.54						-0.90	-0.40	-0.44	0.56
HILLS	0.49	-0.86	1.13	0.30	0.38	-0.28	0.30	0.36	0.37						0.05	0.37	0.24	0.49
KOBRINETZ	-1.45	-0.81	0.61	-0.57	-0.56	-0.47	-1.12	-1.13	-1.30						-1.17	-0.88	-0.80	0.57
LOPEZ	0.23	-0.37	0.61	-0.57	-0.63	-0.75	0.34	-0.08	0.30						-0.62	-0.60	-0.20	0.49
PANSZA	2.17	-0.20	-0.59	2.67	2.31	-0.86	0.51	-2.47	-0.10						0.91	1.58	0.54	1.58
RAMIREZ	0.62	0.50	-0.87	1.52	0.68	1.82	0.51	0.36	0.56						1.60	1.24	0.78	0.75
RODRIGUEZ	-1.96	3.13	0.78	-0.07	0.22	-0.66	0.92	0.81	1.04						1.56	1.21	0.64	1.30
YANCHAR	-0.93	-0.28	1.27	-0.84	-0.08	-0.96	0.29	-0.01	0.26						-0.48	-0.19	-0.18	0.65
MATRIX	0.23	0.83	0.82	-0.71	-0.45	-0.79	-1.12	-0.90	-1.25						-0.36	-0.35	-0.37	0.72
Yi MAXIMUM	2.17	3.13	-2.18	2.67	2.31	1.82	-1.93	-2.47	-1.86						1.60	1.58	0.86	1.58
Yi MINIMUM	-0.03	0.07	-0.42	0.03	-0.08	0.09	0.29	-0.01	-0.10						0.05	-0.19	-0.05	0.49
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.73	6.07	9.30	1.63	6.52	3.05	7.78	9.35	8.56						35.88	5.87		
Ratings STD	0.08	0.57	0.29	0.30	0.40	0.54	0.53	0.13	0.29						1.21	0.20		

IIIG Rating Workshop

PART ID = IIIG 13 47900-4

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.70	0.75	5.67	0.50	0.75	0.95	6.34	9.33	7.84						17.16	2.42
AVIS	0.64	0.75	5.73	0.62	0.75	0.75	7.84	9.62	8.73						17.97	2.52
CAPRONI	0.75	0.71	5.90	0.52	1.28	0.98	7.47	9.60	8.54						18.68	2.70
CASTILLO	0.86	0.75	5.54	0.71	0.75	1.00	7.04	9.57	8.31						17.92	2.49
GARCIA, O	0.90	0.75	5.74	0.90	0.78	0.91	7.06	9.69	8.38						18.36	2.57
GARCIA, P	0.85	0.75	6.22	0.81	0.75	0.98	7.25	9.86	8.56						18.92	2.66
GARRETT	0.75	0.74	5.81	0.82	0.76	1.00	7.32	9.62	8.47						18.35	2.57
HILLS	0.97	0.78	5.76	1.00	0.85	1.00	7.52	9.75	8.64						19.00	2.65
KOBRINETZ	0.88	0.75	5.80	0.64	0.78	0.80	7.08	9.56	8.32						17.97	2.52
LOPEZ	0.75	0.74	5.76	0.68	0.75	1.00	7.61	9.86	8.74						18.42	2.56
PANSZA	0.68	0.64	5.68	1.10	0.79	0.90	7.77	9.22	8.50						18.29	2.58
RAMIREZ	0.75	0.72	5.90	0.97	0.75	1.00	7.65	9.70	8.68						18.77	2.63
RODRIGUEZ	0.83	0.75	5.97	0.84	0.75	1.00	7.60	9.76	8.68						18.82	2.63
YANCHAR	0.79	0.75	5.70	0.66	0.79	1.00	7.34	9.73	8.54						18.23	2.54
MATRIX	0.87	0.74	5.82	0.61	0.78	0.88	7.09	9.71	8.40						18.10	2.54
MAXIMUM	0.97	0.78	6.22	1.10	1.28	1.00	7.84	9.86	8.74						19.00	2.70
MINIMUM	0.64	0.64	5.54	0.50	0.75	0.75	6.34	9.22	7.84						17.16	2.42
RANGE (MAX-MIN)	0.33	0.14	0.68	0.60	0.53	0.25	1.50	0.64	0.90						1.84	0.28
MEAN	0.80	0.74	5.80	0.76	0.80	0.94	7.33	9.64	8.49						18.33	2.57
STD	0.09	0.03	0.16	0.18	0.13	0.08	0.38	0.17	0.23						0.48	0.07



yi within 1 79.3%
 yi within 2 94.8%
 yi within 3 98.5%

PART ID = IIIG 13 47900-4

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-1.07	0.38	-0.83	-1.44	-0.40	0.08	-2.61	-1.76	-2.85						-2.44	-2.05	-1.36	1.10
AVIS	-1.73	0.38	-0.45	-0.77	-0.40	-2.41	1.34	-0.11	1.07						-0.75	-0.72	-0.41	1.10
CAPRONI	-0.52	-0.90	0.64	-1.33	3.54	0.46	0.36	-0.22	0.22						0.73	1.79	0.43	1.34
CASTILLO	0.68	0.38	-1.65	-0.27	-0.40	0.71	-0.77	-0.39	-0.79						-0.86	-1.15	-0.41	0.75
GARCIA, O	1.11	0.38	-0.38	0.79	-0.18	-0.42	-0.71	0.29	-0.48						0.06	-0.08	0.03	0.56
GARCIA, P	0.57	0.38	2.67	0.29	-0.40	0.46	-0.22	1.27	0.30						1.23	1.24	0.71	0.86
GARRETT	-0.52	0.06	0.06	0.34	-0.33	0.71	-0.03	-0.11	-0.07						0.05	0.00	0.02	0.32
HILLS	1.88	1.35	-0.25	1.35	0.34	0.71	0.49	0.64	0.66						1.39	1.04	0.87	0.60
KOBRINETZ	0.90	0.38	0.00	-0.66	-0.18	-1.79	-0.66	-0.45	-0.72						-0.75	-0.70	-0.42	0.70
LOPEZ	-0.52	0.06	-0.25	-0.44	-0.40	0.71	0.73	1.27	1.09						0.18	-0.10	0.21	0.64
PANSZA	-1.29	-3.14	-0.76	1.90	-0.10	-0.54	1.15	-2.39	0.04						-0.09	0.05	-0.47	1.44
RAMIREZ	-0.52	-0.58	0.64	1.18	-0.40	0.71	0.84	0.35	0.83						0.91	0.77	0.43	0.63
RODRIGUEZ	0.35	0.38	1.08	0.45	-0.40	0.71	0.70	0.69	0.85						1.03	0.80	0.60	0.41
YANCHAR	-0.09	0.38	-0.64	-0.55	-0.10	0.71	0.02	0.52	0.22						-0.21	-0.38	-0.01	0.43
MATRIX	0.79	0.06	0.13	-0.83	-0.18	-0.79	-0.64	0.41	-0.37						-0.47	-0.50	-0.22	0.51
Yi MAXIMUM	1.88	-3.14	2.67	1.90	3.54	-2.41	-2.61	-2.39	-2.85						-2.44	-2.05	-1.36	1.44
Yi MINIMUM	-0.09	0.06	0.00	-0.27	-0.10	0.08	0.02	-0.11	0.04						0.05	0.00	-0.01	0.32
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.80	0.74	5.80	0.76	0.80	0.94	7.33	9.64	8.49						18.33	2.57		
Ratings STD	0.09	0.03	0.16	0.18	0.13	0.08	0.38	0.17	0.23						0.48	0.07		

IIIG Rating Workshop

PART ID = IIIG 14 47911-4

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.75	0.75	4.62	0.51	0.60	1.69	7.25	9.20	8.23						17.15	2.28
AVIS	0.68	0.74	5.14	0.59	0.60	0.83	8.45	9.56	9.01						17.59	2.39
CAPRONI	1.00	0.75	5.79	0.73	0.60	1.93	7.72	9.80	8.76						19.56	2.64
CASTILLO	0.92	0.75	5.27	1.14	0.71	1.65	7.22	9.33	8.28						18.72	2.55
GARCIA, O	0.90	0.76	5.98	0.89	0.60	1.50	7.04	9.41	8.23						18.86	2.60
GARCIA, P	0.75	0.75	5.31	0.78	0.60	1.12	7.13	9.51	8.32						17.63	2.42
GARRETT	0.86	0.70	5.18	0.66	0.53	1.50	8.03	9.51	8.77						18.20	2.43
HILLS	0.80	0.84	4.70	0.86	0.66	1.95	8.14	9.64	8.89						18.70	2.48
KOBRINETZ	0.91	0.76	5.20	0.74	0.62	1.62	7.70	9.56	8.63						18.48	2.48
LOPEZ	0.77	0.73	6.00	1.23	0.64	1.00	8.23	9.79	9.01						19.38	2.69
PANSZA	0.56	0.75	5.35	1.13	0.52	1.27	7.79	9.24	8.52						18.10	2.48
RAMIREZ	0.96	0.72	5.40	1.08	0.68	1.52	7.40	9.04	8.22						18.58	2.54
RODRIGUEZ	0.86	0.95	5.25	0.93	0.38	1.34	7.77	9.62	8.70						18.41	2.45
YANCHAR	0.82	0.70	5.19	0.57	0.60	1.41	7.82	9.57	8.70						17.99	2.43
MATRIX	0.75	0.75	5.48	0.58	0.63	0.81	7.40	9.46	8.43						17.43	2.41
MAXIMUM	1.00	0.95	6.00	1.23	0.71	1.95	8.45	9.80	9.01						19.56	2.69
MINIMUM	0.56	0.70	4.62	0.51	0.38	0.81	7.04	9.04	8.22						17.15	2.28
RANGE (MAX-MIN)	0.44	0.25	1.38	0.72	0.33	1.14	1.41	0.76	0.79						2.42	0.40
MEAN	0.82	0.76	5.32	0.83	0.60	1.41	7.67	9.48	8.58						18.32	2.48
STD	0.11	0.06	0.39	0.23	0.08	0.35	0.43	0.21	0.28						0.69	0.11



yi within 1 65.9%
 yi within 2 97.0%
 yi within 3 99.3%

PART ID = IIIG 14 47911-4

Yi VALUES


	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-0.60	-0.16	-1.81	-1.36	0.03	0.80	-0.99	-1.34	-1.24						-1.69	-1.89	-0.93	0.86
AVIS	-1.21	-0.32	-0.47	-1.02	0.03	-1.64	1.83	0.37	1.51						-1.06	-0.91	-0.27	1.12
CAPRONI	1.57	-0.16	1.20	-0.42	0.03	1.48	0.11	1.50	0.64						1.80	1.49	0.84	0.82
CASTILLO	0.88	-0.16	-0.14	1.34	1.44	0.68	-1.06	-0.72	-1.07						0.58	0.64	0.22	0.90
GARCIA, O	0.70	0.00	1.69	0.27	0.03	0.26	-1.49	-0.34	-1.24						0.78	1.13	0.16	0.95
GARCIA, P	-0.60	-0.16	-0.04	-0.21	0.03	-0.82	-1.28	0.13	-0.91						-0.99	-0.65	-0.50	0.47
GARRETT	0.35	-0.97	-0.37	-0.72	-0.87	0.26	0.84	0.13	0.68						-0.17	-0.47	-0.12	0.62
HILLS	-0.17	1.30	-1.60	0.14	0.80	1.53	1.10	0.75	1.10						0.55	-0.09	0.49	0.89
KOBRINETZ	0.79	0.00	-0.32	-0.38	0.28	0.60	0.06	0.37	0.18						0.24	-0.01	0.17	0.35
LOPEZ	-0.43	-0.49	1.74	1.72	0.54	-1.16	1.31	1.46	1.52						1.54	1.94	0.88	1.09
PANSZA	-2.26	-0.16	0.07	1.29	-1.00	-0.39	0.28	-1.15	-0.22						-0.32	-0.07	-0.36	0.90
RAMIREZ	1.23	-0.65	0.20	1.08	1.05	0.31	-0.64	-2.10	-1.26						0.38	0.53	0.01	1.06
RODRIGUEZ	0.35	3.08	-0.19	0.44	-2.80	-0.20	0.23	0.65	0.41						0.13	-0.37	0.16	1.35
YANCHAR	0.01	-0.97	-0.34	-1.11	0.03	0.00	0.35	0.41	0.41						-0.48	-0.56	-0.21	0.53
MATRIX	-0.60	-0.16	0.40	-1.06	0.41	-1.70	-0.64	-0.11	-0.52						-1.28	-0.72	-0.54	0.66
Yi MAXIMUM	-2.26	3.08	-1.81	1.72	-2.80	-1.70	1.83	-2.10	1.52						1.80	1.94	-0.93	1.35
Yi MINIMUM	0.01	0.00	-0.04	0.14	0.03	0.00	0.06	-0.11	0.18						0.13	-0.01	0.01	0.35
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.82	0.76	5.32	0.83	0.60	1.41	7.67	9.48	8.58						18.32	2.48		
Ratings STD	0.11	0.06	0.39	0.23	0.08	0.35	0.43	0.21	0.28						0.69	0.11		

IIIG Rating Workshop

PART ID = IIIG 15 48605-5

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.66	3.92	8.93	1.06	6.57	2.10	7.73	9.27	8.50						31.74	5.40
AVIS	0.70	3.94	9.17	0.95	7.10	2.05	8.43	9.30	8.87						32.78	5.63
CAPRONI	0.75	4.04	8.95	1.03	8.80	1.50	8.45	9.45	8.95						34.02	6.07
CASTILLO	0.74	3.77	9.19	0.90	6.21	2.56	8.78	9.32	9.05						32.42	5.41
GARCIA, O	0.80	3.93	8.74	1.12	6.16	2.04	7.77	9.41	8.59						31.38	5.26
GARCIA, P	0.75	3.78	8.69	0.95	6.68	1.92	8.08	9.40	8.74						31.51	5.37
GARRETT	0.73	3.55	9.46	0.85	6.25	1.79	8.14	9.37	8.76						31.39	5.34
HILLS	0.92	4.14	9.42	1.26	6.59	2.13	8.33	9.15	8.74						33.20	5.60
KOBRINETZ	0.79	4.07	9.20	0.81	6.60	1.80	8.12	9.08	8.60						31.87	5.43
LOPEZ	0.75	4.28	9.06	0.94	6.02	1.56	8.35	8.98	8.67						31.28	5.25
PANSZA	1.04	5.13	8.70	1.38	6.97	2.14	8.30	8.88	8.59						33.95	5.68
RAMIREZ	0.94	4.24	8.02	1.32	5.88	2.08	8.80	9.30	9.05						31.53	5.15
RODRIGUEZ	0.73	3.67	9.26	0.93	6.37	1.79	8.42	9.37	8.90						31.65	5.37
YANCHAR	0.75	3.68	9.54	0.84	6.26	1.77	8.38	9.36	8.87						31.71	5.38
MATRIX	0.75	3.47	9.11	0.97	6.27	2.35	8.22	9.50	8.86						31.78	5.35
MAXIMUM	1.04	5.13	9.54	1.38	8.80	2.56	8.80	9.50	9.05						34.02	6.07
MINIMUM	0.66	3.47	8.02	0.81	5.88	1.50	7.73	8.88	8.50						31.28	5.15
RANGE (MAX-MIN)	0.38	1.66	1.52	0.57	2.92	1.06	1.07	0.62	0.55						2.75	0.92
MEAN	0.79	3.97	9.03	1.02	6.58	1.97	8.29	9.28	8.78						32.15	5.45
STD	0.10	0.40	0.39	0.18	0.70	0.28	0.30	0.18	0.17						0.92	0.22



yi within 1 73.3%
 yi within 2 94.8%
 yi within 3 99.3%

PART ID = IIIG 15 48605-5


Yi VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-1.25	-0.14	-0.26	0.22	-0.02	0.45	-1.86	-0.03	-1.64						-0.44	-0.20	-0.47	0.77
AVIS	-0.85	-0.09	0.37	-0.40	0.74	0.28	0.48	0.14	0.49						0.68	0.81	0.24	0.51
CAPRONI	-0.36	0.17	-0.21	0.05	3.18	-1.67	0.54	0.98	0.99						2.03	2.80	0.77	1.44
CASTILLO	-0.46	-0.51	0.42	-0.68	-0.53	2.09	1.64	0.25	1.57						0.30	-0.15	0.36	0.98
GARCIA, O	0.13	-0.11	-0.75	0.56	-0.60	0.24	-1.72	0.76	-1.12						-0.83	-0.83	-0.39	0.76
GARCIA, P	-0.36	-0.49	-0.88	-0.40	0.14	-0.18	-0.69	0.70	-0.24						-0.69	-0.36	-0.31	0.44
GARRETT	-0.56	-1.06	1.12	-0.97	-0.48	-0.65	-0.49	0.53	-0.15						-0.83	-0.47	-0.36	0.65
HILLS	1.31	0.42	1.01	1.36	0.01	0.56	0.14	-0.71	-0.24						1.14	0.68	0.52	0.67
KOBRINETZ	0.03	0.24	0.44	-1.19	0.03	-0.61	-0.56	-1.11	-1.06						-0.30	-0.08	-0.38	0.57
LOPEZ	-0.36	0.77	0.08	-0.46	-0.80	-1.46	0.21	-1.67	-0.68						-0.95	-0.89	-0.56	0.72
PANSZA	2.49	2.89	-0.86	2.04	0.56	0.60	0.04	-2.23	-1.12						1.96	1.03	0.67	1.62
RAMIREZ	1.51	0.67	-2.62	1.70	-1.01	0.38	1.71	0.14	1.57						-0.67	-1.32	0.19	1.44
RODRIGUEZ	-0.56	-0.76	0.60	-0.51	-0.30	-0.65	0.44	0.53	0.66						-0.54	-0.32	-0.13	0.56
YANCHAR	-0.36	-0.74	1.33	-1.02	-0.46	-0.72	0.31	0.47	0.52						-0.47	-0.29	-0.13	0.70
MATRIX	-0.36	-1.26	0.21	-0.29	-0.45	1.34	-0.22	1.26	0.46						-0.40	-0.41	-0.01	0.78
Yi MAXIMUM	2.49	2.89	-2.62	2.04	3.18	2.09	-1.86	-2.23	-1.64						2.03	2.80	0.77	1.62
Yi MINIMUM	0.03	-0.09	0.08	0.05	0.01	-0.18	0.04	-0.03	-0.15						0.30	-0.08	-0.01	0.44
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.79	3.97	9.03	1.02	6.58	1.97	8.29	9.28	8.78						32.15	5.45		
Ratings STD	0.10	0.40	0.39	0.18	0.70	0.28	0.30	0.18	0.17						0.92	0.22		

PART ID = IIIG 16 48605-6

RATED VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD
ADAMS	0.60	5.04	7.56	0.96	5.43	1.76	6.80	9.78	8.29						29.64	4.82
AVIS	0.66	4.62	8.44	0.77	6.80	1.14	8.37	9.63	9.00						31.43	5.35
CAPRONI	0.75	4.57	8.16	0.91	6.31	2.33	8.09	9.86	8.98						32.01	5.29
CASTILLO	0.75	4.01	7.78	0.86	6.36	1.15	7.72	9.62	8.67						29.58	5.01
GARCIA, O	0.75	3.82	7.46	0.99	5.36	1.76	7.24	9.68	8.46						28.60	4.69
GARCIA, P	0.75	4.74	8.19	0.81	6.08	1.15	7.41	9.91	8.66						30.38	5.08
GARRETT	0.75	4.15	8.49	0.81	6.27	1.13	7.22	9.66	8.44						30.04	5.11
HILLS	0.63	4.43	8.27	1.26	6.06	1.23	8.01	9.68	8.85						30.73	5.14
KOBRINETZ	0.75	4.35	7.72	0.68	6.38	1.10	7.27	9.67	8.47						29.45	4.99
LOPEZ	0.75	3.96	8.26	0.86	6.64	1.10	7.72	9.69	8.71						30.28	5.19
PANSZA	0.68	4.34	8.22	1.44	6.65	0.96	7.98	9.40	8.69						30.98	5.29
RAMIREZ	0.75	4.64	8.02	1.20	6.35	1.22	7.87	9.82	8.85						31.03	5.20
RODRIGUEZ	0.75	4.42	8.33	0.87	6.45	1.22	7.78	9.59	8.69						30.73	5.20
YANCHAR	0.75	4.37	8.52	0.75	6.10	1.05	7.46	9.78	8.62						30.16	5.09
MATRIX	0.75	4.19	7.88	0.98	6.79	1.16	7.51	9.83	8.67						30.42	5.20
MAXIMUM	0.75	5.04	8.52	1.44	6.80	2.33	8.37	9.91	9.00						32.01	5.35
MINIMUM	0.60	3.82	7.46	0.68	5.36	0.96	6.80	9.40	8.29						28.60	4.69
RANGE (MAX-MIN)	0.15	1.22	1.06	0.76	1.44	1.37	1.57	0.51	0.71						3.41	0.66
MEAN	0.72	4.38	8.09	0.94	6.27	1.30	7.63	9.71	8.67						30.36	5.11
STD	0.05	0.32	0.34	0.21	0.43	0.37	0.41	0.13	0.20						0.85	0.18



yi within 1 71.9%
 yi within 2 94.8%
 yi within 3 100.0%

PART ID = IIIG 16 48605-6

Yi VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt						UWPD	WPD	MEAN	STD
ADAMS	-2.34	2.06	-1.57	0.08	-1.97	1.26	-2.02	0.57	-1.91						-0.85	-1.62	-0.76	1.51
AVIS	-1.18	0.76	1.05	-0.83	1.25	-0.43	1.81	-0.60	1.67						1.25	1.38	0.56	1.10
CAPRONI	0.55	0.60	0.22	-0.16	0.10	2.82	1.12	1.20	1.55						1.93	1.00	0.99	0.87
CASTILLO	0.55	-1.14	-0.91	-0.40	0.21	-0.40	0.22	-0.68	0.01						-0.92	-0.55	-0.36	0.55
GARCIA, O	0.55	-1.73	-1.87	0.22	-2.13	1.26	-0.95	-0.21	-1.05						-2.07	-2.38	-0.94	1.23
GARCIA, P	0.55	1.13	0.31	-0.64	-0.44	-0.40	-0.54	1.59	-0.04						0.02	-0.19	0.12	0.72
GARRETT	0.55	-0.70	1.20	-0.64	0.00	-0.46	-1.00	-0.36	-1.15						-0.38	0.00	-0.27	0.68
HILLS	-1.76	0.17	0.55	1.52	-0.49	-0.18	0.93	-0.21	0.89						0.43	0.19	0.18	0.87
KOBRINETZ	0.55	-0.08	-1.09	-1.26	0.26	-0.54	-0.88	-0.29	-1.00						-1.07	-0.68	-0.55	0.60
LOPEZ	0.55	-1.30	0.52	-0.40	0.87	-0.54	0.22	-0.13	0.19						-0.10	0.44	0.03	0.61
PANSZA	-0.80	-0.11	0.40	2.38	0.90	-0.92	0.85	-2.39	0.11						0.73	1.01	0.20	1.25
RAMIREZ	0.55	0.82	-0.20	1.23	0.19	-0.21	0.59	0.88	0.89						0.78	0.49	0.55	0.46
RODRIGUEZ	0.55	0.13	0.72	-0.35	0.43	-0.21	0.37	-0.91	0.08						0.43	0.52	0.16	0.48
YANCHAR	0.55	-0.02	1.29	-0.93	-0.40	-0.68	-0.41	0.57	-0.24						-0.24	-0.12	-0.06	0.64
MATRIX	0.55	-0.58	-0.62	0.18	1.22	-0.37	-0.29	0.96	0.01						0.07	0.51	0.15	0.61
Yi MAXIMUM	-2.34	2.06	-1.87	2.38	-2.13	2.82	-2.02	-2.39	-1.91						-2.07	-2.38	0.99	1.51
Yi MINIMUM	0.55	-0.02	-0.20	0.08	0.00	-0.18	0.22	-0.13	0.01						0.02	0.00	0.03	0.46
Yi MEAN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						0.00	0.00		
Yi STD	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00						1.00	1.00		
Ratings MEAN	0.72	4.38	8.09	0.94	6.27	1.30	7.63	9.71	8.67						30.36	5.11		
Ratings STD	0.05	0.32	0.34	0.21	0.43	0.37	0.41	0.13	0.20						0.85	0.18		

July 15, 2003


IIIG Rating Workshop

Rater = GARCIA, O

Yi VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt	UWPD	WPD					MEAN	STD
IIIG_01_47883-1	-0.90	0.13	-1.44	1.21	-1.30	0.04	-0.03	-0.54	-0.22	-0.75	-1.22					-0.46	0.78
IIIG_02_47883-6	0.08	-0.99	-1.19	-0.05	0.57	-0.66	-0.29	0.10	-0.23	-1.17	-0.81					-0.42	0.58
IIIG_03_47884-1	-0.50	-0.43	-1.29	-0.27	0.08	-0.17	1.06	1.21	1.39	-0.51	-0.47					0.01	0.85
IIIG_04_47884-2	0.10	0.87	-0.89	-0.29	-1.86	0.51	-1.35	0.02	-1.34	-0.56	-1.34					-0.56	0.87
IIIG_05_47884-5	1.43	-1.65	-1.72	-0.02	-1.19	1.46	-1.89	-0.46	-1.90	0.09	-0.48					-0.58	1.23
IIIG_06_47884-6	2.31	1.64	-0.47	1.95	-0.10	0.83	-0.40	-0.05	-0.39	1.75	1.34					0.76	1.07
IIIG_07_47885-5	1.11	-0.81	-1.86	1.90	-1.24	-0.63	-1.06	0.13	-0.82	-1.07	-1.53					-0.53	1.14
IIIG_08_47885-6	-0.69	-1.30	-0.90	-0.11	-1.96	-0.05	0.37	-1.03	0.21	-1.41	-1.69					-0.78	0.79
IIIG_09_47886-5	0.15	-1.79	-0.71	0.59	-0.70	-0.45	-1.30	-0.60	-1.39	-1.43	-1.21					-0.80	0.72
IIIG_10_47886-6	2.96	0.35	0.34	0.45	-1.98	-0.06	-2.13	0.51	-1.84	-0.56	-1.40					-0.30	1.50
IIIG_11_47889-4	0.15	0.68	0.94	0.77	0.65	-1.33	0.49	0.75	0.63	0.81	0.97					0.50	0.65
IIIG_12_47891-5	1.01	-0.82	-2.18	0.84	-0.96	-0.30	-0.33	0.51	-0.19	-1.13	-1.38					-0.45	0.98
IIIG_13_47900-4	1.11	0.38	-0.38	0.79	-0.18	-0.42	-0.71	0.29	-0.48	0.06	-0.08					0.03	0.56
IIIG_14_47911-4	0.70	0.00	1.69	0.27	0.03	0.26	-1.49	-0.34	-1.24	0.78	1.13					0.16	0.95
IIIG_15_48605-5	0.13	-0.11	-0.75	0.56	-0.60	0.24	-1.72	0.76	-1.12	-0.83	-0.83					-0.39	0.76
IIIG_16_48605-6	0.55	-1.73	-1.87	0.22	-2.13	1.26	-0.95	-0.21	-1.05	-2.07	-2.38					-0.94	1.23
IIIG_calibration	0.29	-0.24	1.01	1.13	0.92	2.45	0.28	-0.40	0.05	1.77	1.61					0.81	0.90
Yi MAXIMUM	2.96	-1.79	-2.18	1.95	-2.13	2.45	-2.13	1.21	-1.90	-2.07	-2.38					-0.94	1.50
Yi MINIMUM	0.08	0.00	0.34	-0.02	0.03	0.04	-0.03	0.02	0.05	0.06	-0.08					0.01	0.56
Yi MEAN	0.59	-0.34	-0.69	0.59	-0.70	0.17	-0.67	0.04	-0.58	-0.37	-0.57						
Yi STD	1.01	0.98	1.11	0.68	0.98	0.91	0.92	0.58	0.88	1.10	1.18						

bins	count	percent		
-3	0	0.0%		
-2	5	2.7%	-1 < yi ≤ 1	61.5%
-1	43	23.0%	-2 < yi ≤ 2	95.7%
0	62	33.2%	-3 < yi ≤ 3	100.0%
1	53	28.3%	> 3	0.0%
2	21	11.2%		
3	3	1.6%		
total	187	100.0%		



July 15, 2003

IIIG Rating Workshop

Rater = **MATRIX**

Yi VALUES

	Groove 1	Groove 2	Groove 3	Land 2	Land 3	Under-crown	Thrust	Anti-thrust	Average Skirt	UWPD	WPD						MEAN	STD
IIIG_01_47883-1	1.02	0.29	0.75	-0.55	-0.57	-0.22	0.76	0.44	0.94	0.15	-0.14						0.26	0.58
IIIG_02_47883-6	0.55	0.55	0.89	-0.70	-1.30	0.26	-0.79	0.82	-0.51	0.09	-0.33						-0.04	0.73
IIIG_03_47884-1	-0.31	0.35	-0.26	-0.55	-0.59	0.20	0.39	-0.74	0.00	-0.21	-0.44						-0.20	0.39
IIIG_04_47884-2	-1.71	-1.66	-0.52	-1.34	-0.58	0.03	-1.38	0.02	-1.38	-1.70	-1.36						-1.05	0.67
IIIG_05_47884-5	-0.50	0.82	0.28	-1.30	0.54	-0.11	1.38	0.47	1.42	-0.59	-0.70						0.16	0.88
IIIG_06_47884-6	-1.73	-1.38	0.23	-1.29	-1.84	-1.06	-0.38	0.48	-0.29	-2.04	-2.24						-1.05	0.93
IIIG_07_47885-5	0.05	0.13	1.05	-0.74	-1.51	-0.12	0.30	0.71	0.45	-0.11	-0.47						-0.02	0.70
IIIG_08_47885-6	-1.19	-0.09	0.86	-0.76	-0.34	-0.01	-0.24	1.17	-0.07	-0.40	-0.24						-0.12	0.66
IIIG_09_47886-5	0.15	0.13	-0.12	-0.85	-0.59	-0.13	-0.11	0.15	-0.06	-0.39	-0.52						-0.21	0.33
IIIG_10_47886-6	0.04	0.20	0.70	-1.21	-0.97	0.19	-0.76	0.36	-0.62	-0.30	-0.64						-0.27	0.61
IIIG_11_47889-4	0.47	0.68	-1.78	0.00	-0.36	0.40	0.07	0.47	0.21	-0.54	-0.87						-0.11	0.73
IIIG_12_47891-5	0.23	0.83	0.82	-0.71	-0.45	-0.79	-1.12	-0.90	-1.25	-0.36	-0.35						-0.37	0.72
IIIG_13_47900-4	0.79	0.06	0.13	-0.83	-0.18	-0.79	-0.64	0.41	-0.37	-0.47	-0.50						-0.22	0.51
IIIG_14_47911-4	-0.60	-0.16	0.40	-1.06	0.41	-1.70	-0.64	-0.11	-0.52	-1.28	-0.72						-0.54	0.66
IIIG_15_48605-5	-0.36	-1.26	0.21	-0.29	-0.45	1.34	-0.22	1.26	0.46	-0.40	-0.41						-0.01	0.78
IIIG_16_48605-6	0.55	-0.58	-0.62	0.18	1.22	-0.37	-0.29	0.96	0.01	0.07	0.51						0.15	0.61
IIIG_calibration	0.13	-0.37	0.70	-0.04	-1.06	-0.27	0.46	-0.25	0.28	-0.15	-0.37						-0.09	0.48
Yi MAXIMUM	-1.73	-1.66	-1.78	-1.34	-1.84	-1.70	1.38	1.26	1.42	-2.04	-2.24						-1.05	0.93
Yi MINIMUM	0.04	0.06	-0.12	0.00	-0.18	-0.01	0.07	0.02	0.00	0.07	-0.14						-0.01	0.33
Yi MEAN	-0.14	-0.09	0.22	-0.71	-0.51	-0.19	-0.19	0.34	-0.08	-0.51	-0.58							
Yi STD	0.81	0.75	0.72	0.46	0.75	0.66	0.70	0.60	0.70	0.61	0.57							

bins	count	percent		
-3	0	0.0%	-1 < yi ≤ 1	81.3%
-2	2	1.1%	-2 < yi ≤ 2	98.9%
-1	25	13.4%	-3 < yi ≤ 3	100.0%
0	87	46.5%	>3	0.0%
1	65	34.8%		
2	8	4.3%		
3	0	0.0%		
3 lt yi	0	0.0%		
total	187	100.0%		

